

**Event:** Cooper Tires Indy Pro 2000 Portland GP**Round 13 / 14****Track:** Portland International Raceway**1.964 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race 2**September 1, 2019****Section Data for Car 10 - Lindh, Rasmus (R)**

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.5136	6.3916	3.7917	6.5001	4.9820	5.2303	8.2251	5.1522	4.2832	7.1342	5.8325	7.4907	6.1842	73.7114	129.5425
	S	93.039	82.886	47.112	95.978	89.367	80.562	77.092	71.726	113.817	140.488	121.693	85.197	128.774	95.920	53.412
2	T	1.6372	5.5780	3.3889	6.3300	4.6757	4.9958	8.0404	5.0654	4.2515	7.1573	5.5938	7.3181	6.2809	70.3130	
	S	142.844	94.975	52.712	98.557	95.222	84.344	78.863	72.955	114.665	140.035	126.886	87.206	126.791	100.556	
3	T	1.6574	5.3156	3.0600	6.2194	4.5632	4.9124	7.9484	5.1471	4.2620	7.1558	5.6877	7.4767	6.3529	69.7586	
	S	141.103	99.664	58.378	100.309	97.569	85.776	79.776	71.797	114.383	140.064	124.791	85.356	125.354	101.355	
4	T	1.6690	5.3259	3.0504	6.1506	4.5604	4.9199	8.0006	5.0039	4.2676	7.1543	5.5273	7.3717	6.2942	69.2958	
	S	140.122	99.471	58.562	101.431	97.629	85.645	79.255	73.851	114.233	140.094	128.412	86.572	126.523	102.032	
5	T	1.6596	5.2079	3.0264	6.1362	4.6052	4.9551	7.8356	4.9309	4.2321	7.1365	5.5731	7.3126	6.2589	68.8701	
	S	140.916	101.725	59.026	101.669	96.679	85.036	80.924	74.945	115.191	140.443	127.357	87.272	127.237	102.663	
6	T	1.6513	5.2296	3.0454	6.1762	4.5109	4.9454	7.9678	4.9284	4.2360	7.1380	5.6012	7.4021	6.2857	69.1180	
	S	141.624	101.303	58.658	101.011	98.700	85.203	79.582	74.983	115.085	140.414	126.718	86.216	126.695	102.295	
7	T	1.6608	5.1937	3.0761	6.1662	4.5110	4.8472	7.9898	4.9341	4.2346	7.1471	5.5594	7.3499	6.2782	68.9481	
	S	140.814	102.003	58.072	101.175	98.698	86.929	79.363	74.896	115.123	140.235	127.671	86.829	126.846	102.547	
8	T	1.6606	5.2281	3.0120	6.1438	4.4841	4.9210	7.8485	4.8814	4.2383	7.1387	5.5211	7.4146	6.2812	68.7734	
	S	140.831	101.332	59.308	101.544	99.290	85.626	80.791	75.705	115.023	140.400	128.556	86.071	126.785	102.807	
9	T	1.6625	5.2301	3.0015	6.1338	4.5141	4.9366	7.8616	4.9501	4.2378	7.1274	5.5987	7.2203	6.2366	68.7111	
	S	140.670	101.293	59.516	101.709	98.630	85.355	80.657	74.654	115.036	140.622	126.775	88.387	127.692	102.900	
10	T	1.6577	5.2240	2.9923	6.1188	4.4867	4.8682	7.8984	4.9048	4.2567	7.1490	5.5185	7.2634	6.2691	68.6076	
	S	141.077	101.411	59.699	101.958	99.233	86.554	80.281	75.344	114.525	140.198	128.617	87.863	127.030	103.056	
11	T	1.6677	5.1634	3.0302	6.1393	4.5229	4.8746	7.9238	4.8754	4.2181	7.1255	5.4918	7.3373	6.2679	68.6379	
	S	140.231	102.602	58.952	101.618	98.438	86.441	80.024	75.798	115.573	140.660	129.242	86.978	127.054	103.010	
12	T	1.6579	5.2500	2.9625	6.0999	4.4741	4.9568	7.8138	4.9496	4.2424	7.1490	5.4966	7.2678	6.2667	68.5871	
	S	141.060	100.909	60.299	102.274	99.512	85.007	81.150	74.662	114.911	140.198	129.129	87.809	127.079	103.086	
13	T	1.6602	5.1982	3.0322	6.1449	4.5435	4.9703	7.9078	4.9174	4.2552	7.1575	5.5225	7.2142	6.2620	68.7859	
	S	140.865	101.915	58.913	101.525	97.992	84.776	80.186	75.151	114.566	140.031	128.524	88.462	127.174	102.789	
14	T	1.6594	5.1860	2.9670	6.0935	4.5434	4.9047	7.8581	4.8847	4.2359	7.1565	5.5272	7.2652	6.2586	68.5402	
	S	140.933	102.154	60.208	102.382	97.994	85.910	80.693	75.654	115.088	140.051	128.415	87.841	127.243	103.157	
15	T	1.6556	5.1614	3.0199	6.1595	4.5257	4.8934	7.9237	4.8652	4.2270	7.1455	5.5078	7.2240	6.2298	68.5385	
	S	141.256	102.641	59.153	101.285	98.378	86.109	80.025	75.957	115.330	140.266	128.867	88.342	127.831	103.160	
16	T	1.6534	5.0955	2.9875	6.1433	4.4527	4.9197	7.8365	4.8639	4.2290	7.1461	5.4986	7.1676	6.2437	68.2375	
	S	141.444	103.969	59.795	101.552	99.990	85.648	80.915	75.977	115.275	140.255	129.082	89.037	127.547	103.615	
17	T	1.6561	5.1700	2.9885	6.1245	4.5870	4.8962	8.0159	4.8567	4.2354	7.1396	5.5265	7.2664	6.2500	68.7128	
	S	141.213	102.471	59.775	101.864	97.063	86.059	79.104	76.090	115.101	140.382	128.431	87.826	127.418	102.898	
18	T	1.6592	5.1799	2.9660	6.1021	4.5087	4.9521	7.8707	5.0199	4.2528	7.1557	5.5562	7.2339	6.2455	68.7027	
	S	140.950	102.275	60.228	102.238	98.748	85.088	80.563	73.616	114.630	140.066	127.744	88.221	127.510	102.913	
19	T	1.6533	5.2188	2.9778	6.0852	4.4683	4.8717	7.8650	4.8513	4.2275	7.1368	5.5761	7.1740	6.2531	68.3589	
	S	141.453	101.512	59.989	102.521	99.641	86.492	80.622	76.175	115.316	140.437	127.288	88.958	127.355	103.431	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 10 - Lindh, Rasmus (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6548	5.2520	3.0001	6.1074	4.5009	4.9182	7.9241	4.9454	4.2475	7.1339	5.5053	7.1787	6.2507	68.6190
	S	141.324	100.871	59.543	102.149	98.920	85.674	80.021	74.725	114.773	140.494	128.925	88.899	127.404	103.039
21	T	1.6606	5.1614	3.0115	6.1040	4.5255	4.9155	7.8537	4.9026	4.2326	7.1291	5.4802	7.1590	6.2342	68.3699
	S	140.831	102.641	59.318	102.206	98.382	85.721	80.738	75.377	115.177	140.589	129.516	89.144	127.741	103.414
22	T	1.6513	5.1331	3.0399	6.1370	4.5053	4.8995	7.8773	4.8646	4.2204	7.1151	5.4898	7.2255	6.2182	68.3770
	S	141.624	103.207	58.764	101.656	98.823	86.001	80.496	75.966	115.510	140.866	129.289	88.324	128.070	103.403
23	T	1.6495	5.1307	3.0488	6.1704	4.5040	4.8802	7.9114	4.8620	4.2208	7.1087	5.4836	7.1960	6.2393	68.4054
	S	141.779	103.255	58.592	101.106	98.852	86.341	80.149	76.007	115.499	140.992	129.436	88.686	127.637	103.360
24	T	1.6607	5.1238	3.1441	6.1680	4.5736	4.9269	7.8278	4.8503	4.2245	7.1340	5.4728	7.2256	6.2397	68.5718
	S	140.822	103.394	56.816	101.145	97.347	85.523	81.005	76.190	115.398	140.492	129.691	88.322	127.629	103.109
25	T	1.6567	5.1155	3.1401	6.1834	4.5736	4.9307	7.8908	4.9065	4.2214	7.1342	5.4778	7.2247	6.2439	68.6993
	S	141.162	103.562	56.889	100.893	97.347	85.457	80.358	75.318	115.483	140.488	129.573	88.333	127.543	102.918
26	T	1.6564	5.2223	3.1330	6.1687	4.4997	4.9075	7.8476	4.9526	4.2347	7.1399	5.5226	7.2912	6.2723	68.8485
	S	141.188	101.444	57.018	101.134	98.946	85.861	80.801	74.616	115.120	140.376	128.521	87.528	126.965	102.695
27	T	1.6586	5.2700	3.0908	6.1415	4.5126	4.9151	7.8926	4.9492	4.2519	7.1424	5.5621	7.2010	6.2267	68.8145
	S	141.001	100.526	57.796	101.582	98.663	85.728	80.340	74.668	114.655	140.327	127.609	88.624	127.895	102.746
28	T	1.6482	5.1533	3.0968	6.1577	4.4974	4.9532	7.8330	5.0349	4.2377	7.1475	5.5451	7.2116	6.2347	68.7511
	S	141.890	102.803	57.684	101.314	98.997	85.069	80.951	73.397	115.039	140.227	128.000	88.494	127.731	102.841
29	T	1.6519	5.1115	3.0401	6.1466	4.4996	4.9054	7.9102	4.9222	4.2436	7.1649	5.5886	7.1758	6.2132	68.5736
	S	141.573	103.643	58.760	101.497	98.948	85.898	80.161	75.077	114.879	139.886	127.004	88.935	128.173	103.107
30	T	1.6499	5.1843	3.0453	6.1031	4.5037	4.8700	7.8642	4.9265	4.2351	7.1618	5.5537	7.1450	6.2030	68.4456
	S	141.744	102.188	58.660	102.221	98.858	86.522	80.630	75.012	115.109	139.947	127.802	89.319	128.384	103.300
31	T	1.6501	5.6180	3.5664	9.5340	5.9656	6.2568	9.7446							
	S	141.727	94.299	50.089	65.436	74.632	67.345	65.071							

**Event:** Cooper Tires Indy Pro 2000 Portland GP**Round 13 / 14****Track:** Portland International Raceway**1.964 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race 2**September 1, 2019****Section Data for Car 11 - Serravalle, Antonio**

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.4462	6.7765	3.8355	6.4635	5.1761	5.2905	8.2696	5.3894	4.2857	7.0473	6.5613	7.6249	6.2272	75.3937	125.9281
	S	95.603	78.178	46.574	96.521	86.016	79.645	76.677	68.569	113.750	142.221	108.176	83.697	127.885	93.780	54.945
2	T	1.6429	5.3896	3.1703	6.1555	4.8447	5.1187	8.0852	5.1381	4.2359	7.0578	5.9988	7.5681	6.1797	70.5853	
	S	142.348	98.295	56.347	101.351	91.900	82.318	78.426	71.923	115.088	142.009	118.319	84.325	128.868	100.168	
3	T	1.6176	5.5041	3.2552	6.2030	4.9925	5.1097	8.0658	4.9971	4.2294	7.0355	5.8749	7.5470	6.2150	70.6468	
	S	144.574	96.251	54.877	100.575	89.179	82.463	78.615	73.952	115.265	142.459	120.814	84.561	128.136	100.081	
4	T	1.6220	5.3604	3.1805	6.1767	4.8289	5.0806	7.8876	5.1675	4.2335	7.0591	5.8170	7.4740	6.2582	70.1460	
	S	144.182	98.831	56.166	101.003	92.201	82.936	80.391	71.513	115.153	141.983	122.017	85.387	127.251	100.795	
5	T	1.6433	5.3844	3.0616	6.1452	4.7043	4.9902	7.8679	5.1103	4.2397	7.0779	5.8091	7.3207	6.2233	69.5779	
	S	142.313	98.390	58.347	101.520	94.643	84.438	80.592	72.314	114.985	141.606	122.183	87.175	127.965	101.618	
6	T	1.6393	5.2863	3.0930	6.1620	4.6703	4.9168	7.8149	4.9558	4.2231	7.0671	5.8312	7.2653	6.2011	69.1262	
	S	142.661	100.216	57.755	101.244	95.332	85.699	81.139	74.568	115.437	141.822	121.720	87.840	128.423	102.282	
7	T	1.6375	5.3619	3.0753	6.1600	4.7001	4.9344	7.8660	4.9607	4.2468	7.0809	5.7437	7.2281	6.2032	69.1986	
	S	142.817	98.803	58.087	101.277	94.727	85.393	80.612	74.495	114.792	141.546	123.574	88.292	128.379	102.175	
8	T	1.6383	5.2141	3.0814	6.1633	4.7090	4.9861	7.8458	5.0406	4.2480	7.0901	5.7869	7.2312	6.1877	69.2225	
	S	142.748	101.604	57.972	101.222	94.548	84.508	80.819	73.314	114.760	141.362	122.652	88.254	128.701	102.140	
9	T	1.6395	5.1986	3.0525	6.1441	4.6580	4.9409	7.8035	4.9413	4.2341	7.0618	5.7074	7.2894	6.2479	68.9190	
	S	142.643	101.907	58.521	101.539	95.583	85.281	81.257	74.787	115.137	141.929	124.360	87.549	127.461	102.590	
10	T	1.6484	5.2448	3.0729	6.1266	4.6871	4.9474	7.7946	4.9031	4.2290	7.0786	5.7104	7.2898	6.2384	68.9711	
	S	141.873	101.009	58.133	101.829	94.990	85.169	81.350	75.370	115.275	141.592	124.295	87.544	127.655	102.513	
11	T	1.6520	5.2428	3.0977	6.1698	4.6231	4.9463	7.7319	4.9285	4.2329	7.0673	5.7316	7.2383	6.2245	68.8867	
	S	141.564	101.048	57.667	101.116	96.305	85.188	82.010	74.981	115.169	141.818	123.835	88.167	127.940	102.638	
12	T	1.6461	5.1288	3.0635	6.1589	4.7011	4.9183	7.7937	4.9646	4.2516	7.0818	5.7158	7.2347	6.2168	68.8757	
	S	142.071	103.294	58.311	101.295	94.707	85.673	81.359	74.436	114.663	141.528	124.177	88.211	128.099	102.654	
13	T	1.6500	5.2683	3.0737	6.1584	4.6660	5.0084	7.7833	4.8897	4.2295	7.0866	5.8418	7.1800	6.2179	69.0536	
	S	141.736	100.559	58.118	101.303	95.419	84.131	81.468	75.576	115.262	141.432	121.499	88.883	128.076	102.390	
14	T	1.6453	5.1772	3.0909	6.1719	4.7187	4.9761	7.8085	4.9177	4.2541	7.1259	5.7395	7.2097	6.2139	69.0494	
	S	142.140	102.328	57.794	101.081	94.354	84.677	81.205	75.146	114.595	140.652	123.665	88.517	128.158	102.396	
15	T	1.6436	5.1716	3.0964	6.1764	4.6781	4.9034	7.8569	4.9016	4.2250	7.0946	5.6961	7.2281	6.2276	68.8994	
	S	142.287	102.439	57.692	101.008	95.173	85.933	80.705	75.393	115.385	141.273	124.607	88.292	127.876	102.619	
16	T	1.6488	5.1670	3.0218	6.1377	4.6161	4.9006	7.8087	4.8801	4.2197	7.0953	5.7127	7.2122	6.2188	68.6395	
	S	141.839	102.530	59.116	101.645	96.451	85.982	81.203	75.725	115.530	141.259	124.245	88.486	128.057	103.008	
17	T	1.6490	5.2015	3.0738	6.1438	4.6625	4.9388	7.7425	4.9328	4.2534	7.1134	5.6826	7.2186	6.2136	68.8263	
	S	141.821	101.850	58.116	101.544	95.491	85.317	81.897	74.916	114.614	140.899	124.903	88.408	128.165	102.728	
18	T	1.6426	5.1210	3.0832	6.1498	4.7037	4.9345	7.7231	4.8984	4.2094	7.0786	5.7527	7.2260	6.2137	68.7367	
	S	142.374	103.451	57.939	101.445	94.655	85.391	82.103	75.442	115.812	141.592	123.381	88.317	128.163	102.862	
19	T	1.6414	5.1211	3.1064	6.1695	4.6243	4.9558	7.7350	4.9685	4.2186	7.0783	5.7632	7.2570	6.2316	68.8707	
	S	142.478	103.449	57.506	101.121	96.280	85.024	81.977	74.378	115.560	141.598	123.156	87.940	127.794	102.662	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 11 - Serravalle, Antonio

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6409	5.1673	3.0520	6.1297	4.6233	4.9617	7.8209	4.9234	4.2265	7.0857	5.7822	7.2601	6.2432	68.9169
	S	142.522	102.524	58.531	101.777	96.301	84.923	81.076	75.059	115.344	141.450	122.751	87.903	127.557	102.593
21	T	1.6507	5.2454	3.0247	6.1092	4.6616	4.9658	7.7432	4.9188	4.2255	7.0864	5.6735	7.2280	6.2148	68.7476
	S	141.675	100.998	59.059	102.119	95.510	84.853	81.890	75.129	115.371	141.436	125.103	88.293	128.140	102.846
22	T	1.6441	5.0888	3.0454	6.1306	4.6635	4.9606	7.7585	4.9074	4.2357	7.0902	5.7441	7.2725	6.2112	68.7526
	S	142.244	104.106	58.658	101.762	95.471	84.942	81.729	75.304	115.093	141.360	123.566	87.753	128.214	102.838
23	T	1.6445	5.1549	3.0312	6.1123	4.6372	4.9329	7.7102	4.8968	4.2281	7.0783	5.7430	7.2484	6.1958	68.6136
	S	142.210	102.771	58.933	102.067	96.012	85.419	82.241	75.467	115.300	141.598	123.589	88.045	128.533	103.047
24	T	1.6408	5.2716	3.0168	6.1006	4.6381	4.9377	7.7325	5.0297	4.2328	7.1087	5.7392	7.2410	6.2032	68.8927
	S	142.530	100.496	59.214	102.263	95.993	85.336	82.003	73.473	115.172	140.992	123.671	88.134	128.379	102.629
25	T	1.6433	5.2320	3.0451	6.1157	4.6448	4.9492	7.7643	4.9303	4.2209	7.0864	5.6906	7.2096	6.2175	68.7497
	S	142.313	101.256	58.664	102.010	95.855	85.138	81.667	74.954	115.497	141.436	124.727	88.518	128.084	102.843
26	T	1.6431	5.2197	3.0324	6.1109	4.6409	4.9206	7.8103	4.9241	4.2267	7.0965	5.8455	7.2407	6.2141	68.9255
	S	142.331	101.495	58.909	102.090	95.936	85.633	81.186	75.048	115.338	141.235	121.422	88.138	128.154	102.580
27	T	1.6407	5.2688	3.0479	6.1240	4.6593	4.9701	7.7613	4.9129	4.2196	7.0916	5.7594	7.2091	6.2199	68.8846
	S	142.539	100.549	58.610	101.872	95.557	84.780	81.699	75.219	115.532	141.332	123.237	88.524	128.035	102.641
28	T	1.6437	5.1760	3.0589	6.1145	4.6424	4.9441	7.7462	4.9638	4.2229	7.1002	5.7423	7.2878	6.2351	68.8779
	S	142.279	102.352	58.399	102.030	95.905	85.226	81.858	74.448	115.442	141.161	123.604	87.569	127.723	102.651
29	T	1.6536	5.2702	3.0213	6.0852	4.6559	4.9422	7.7031	4.9347	4.2308	7.1121	5.7069	7.0993	6.1855	68.6008
	S	141.427	100.522	59.126	102.521	95.626	85.258	82.316	74.887	115.226	140.925	124.371	89.894	128.747	103.066
30	T	1.6432	5.1254	3.0394	6.0762	4.6459	4.9093	7.7573	4.9096	4.2418	7.1238	5.7895	7.1943	6.2081	68.6638
	S	142.322	103.362	58.774	102.673	95.832	85.830	81.741	75.270	114.928	140.694	122.597	88.707	128.278	102.971
31	T	1.6728	5.6327	3.1252	6.5656	5.1689	5.2181								
	S	139.804	94.053	57.160	95.020	86.136	80.750								

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.5536	6.1868	3.7107	6.3267	4.9889	5.0813	8.2447	5.0936	4.2668	7.1631	5.7803	7.3987	6.2726	73.0678	131.6048
	S	91.582	85.630	48.141	98.608	89.244	82.924	76.909	72.551	114.254	139.922	122.792	86.256	126.959	96.765	52.575
2	T	1.6541	5.3232	3.0915	6.1417	4.7421	5.0038	8.0423	4.9941	4.1877	7.1219	5.7251	7.3846	6.2582	69.6703	
	S	141.384	99.521	57.783	101.578	93.888	84.209	78.844	73.996	116.412	140.731	123.976	86.421	127.251	101.484	
3	T	1.6477	5.2094	3.0491	6.1311	4.6137	5.0895	7.9093	5.1230	4.2314	7.1280	5.5601	7.4044	6.2832	69.3799	
	S	141.933	101.696	58.587	101.754	96.501	82.791	80.170	72.135	115.210	140.611	127.655	86.190	126.745	101.908	
4	T	1.6505	5.3407	2.9965	6.0970	4.6534	4.9049	7.9527	5.0133	4.1844	7.1095	5.5786	7.3091	6.2298	69.0204	
	S	141.693	99.195	59.615	102.323	95.678	85.907	79.733	73.713	116.504	140.977	127.231	87.313	127.831	102.439	
5	T	1.6409	5.3027	3.2538	6.2230	4.5692	4.9624	7.8346	4.9804	4.2001	7.1257	5.5364	7.5887	6.3086	69.5265	
	S	142.522	99.906	54.901	100.251	97.441	84.911	80.935	74.200	116.069	140.656	128.201	84.096	126.235	101.694	
6	T	1.6581	5.1451	3.0299	6.1289	4.5658	4.8924	7.9271	4.8562	4.1908	7.1241	5.5464	7.1868	6.1968	68.4484	
	S	141.043	102.966	58.958	101.790	97.514	86.126	79.990	76.098	116.326	140.688	127.970	88.799	128.512	103.295	
7	T	1.6443	5.1533	3.0309	6.1464	4.4690	4.8690	7.9031	4.9070	4.1843	7.1064	5.5594	7.1898	6.1867	68.3496	
	S	142.227	102.803	58.938	101.501	99.626	86.540	80.233	75.310	116.507	141.038	127.671	88.762	128.722	103.445	
8	T	1.6480	5.1619	3.0568	6.1415	4.5324	4.8639	7.8712	4.8901	4.1989	7.1139	5.5575	7.2081	6.1985	68.4427	
	S	141.908	102.631	58.439	101.582	98.232	86.631	80.558	75.570	116.102	140.889	127.714	88.537	128.477	103.304	
9	T	1.6470	5.1183	3.0175	6.1170	4.4649	4.8623	7.9259	4.9203	4.1889	7.1008	5.5813	7.1674	6.1909	68.3025	
	S	141.994	103.506	59.200	101.988	99.717	86.659	80.002	75.106	116.379	141.149	127.170	89.040	128.635	103.516	
10	T	1.6506	5.2486	2.9820	6.0743	4.5008	4.8642	7.8304	4.9927	4.2020	7.1117	5.5347	7.1874	6.2111	68.3905	
	S	141.684	100.936	59.905	102.705	98.922	86.625	80.978	74.017	116.016	140.933	128.241	88.792	128.216	103.383	
11	T	1.6491	5.1377	3.0255	6.1091	4.5295	4.8986	7.8935	4.9511	4.2165	7.1148	5.4452	7.3046	6.2267	68.5019	
	S	141.813	103.115	59.044	102.120	98.295	86.017	80.331	74.639	115.617	140.872	130.348	87.367	127.895	103.215	
12	T	1.6497	5.1936	3.0000	6.0873	4.5620	4.8511	7.9162	4.9360	4.1982	7.1139	5.5470	7.2124	6.2093	68.4767	
	S	141.761	102.005	59.545	102.486	97.595	86.859	80.100	74.867	116.121	140.889	127.956	88.484	128.253	103.253	
13	T	1.6477	5.1831	2.9682	6.0624	4.4922	4.8930	7.9719	4.8947	4.2018	7.1170	5.5659	7.3750	6.3000	68.6729	
	S	141.933	102.212	60.183	102.907	99.111	86.116	79.541	75.499	116.022	140.828	127.522	86.533	126.407	102.958	
14	T	1.6626	5.2565	2.9694	6.0811	4.5051	4.9495	7.9650	4.8821	4.2050	7.1306	5.5086	7.2076	6.2150	68.5381	
	S	140.661	100.784	60.159	102.591	98.827	85.133	79.610	75.694	115.933	140.559	128.848	88.543	128.136	103.160	
15	T	1.6519	5.2411	3.0016	6.1141	4.5260	4.9784	7.9540	4.8751	4.1892	7.1249	5.4622	7.1875	6.2190	68.5250	
	S	141.573	101.080	59.514	102.037	98.371	84.638	79.720	75.803	116.371	140.672	129.943	88.791	128.053	103.180	
16	T	1.6495	5.2608	2.9957	6.1007	4.4913	5.0351	7.9136	4.9040	4.1900	7.1175	5.4862	7.1307	6.1948	68.4699	
	S	141.779	100.702	59.631	102.261	99.131	83.685	80.127	75.356	116.348	140.818	129.374	89.498	128.554	103.263	
17	T	1.6464	5.1963	2.9681	6.0760	4.7226	4.9035	8.0370	4.8564	4.1918	7.1116	5.5177	7.2048	6.2221	68.6543	
	S	142.045	101.952	60.185	102.677	94.276	85.931	78.896	76.095	116.298	140.935	128.636	88.577	127.990	102.986	
18	T	1.6517	5.1658	2.9418	6.0789	4.4923	4.9692	7.9838	4.8990	4.1859	7.1105	5.5402	7.1891	6.1930	68.4012	
	S	141.590	102.554	60.723	102.628	99.109	84.795	79.422	75.433	116.462	140.957	128.113	88.771	128.591	103.367	
19	T	1.6437	5.1954	2.9689	6.0711	4.5624	4.8675	7.9001	4.8535	4.1741	7.1057	5.5348	7.1398	6.2049	68.2219	
	S	142.279	101.970	60.169	102.760	97.586	86.567	80.264	76.140	116.792	141.052	128.238	89.384	128.344	103.638	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 2 - Robb, Sting Ray

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6433	5.2372	2.9756	6.0788	4.5521	4.9032	7.8691	4.9855	4.1757	7.0940	5.4375	7.3330	6.2495	68.5345
	S	142.313	101.156	60.034	102.629	97.807	85.936	80.580	74.124	116.747	141.285	130.533	87.029	127.428	103.166
21	T	1.6538	5.2075	2.9458	6.0700	4.5138	4.9255	8.0349	4.8439	4.1796	7.1014	5.5609	7.2217	6.2135	68.4723
	S	141.410	101.733	60.641	102.778	98.637	85.547	78.917	76.291	116.638	141.137	127.636	88.370	128.167	103.259
22	T	1.6463	5.2560	2.9702	6.0641	4.5787	4.8878	7.9009	4.8600	4.1628	7.1108	5.5312	7.1288	6.1820	68.2796
	S	142.054	100.794	60.143	102.878	97.239	86.207	80.256	76.038	117.109	140.951	128.322	89.522	128.820	103.551
23	T	1.6450	5.2338	2.9662	6.0722	4.5471	4.9193	7.8498	4.8837	4.1653	7.0961	5.5369	7.1627	6.1996	68.2777
	S	142.166	101.221	60.224	102.741	97.915	85.655	80.778	75.669	117.038	141.243	128.190	89.098	128.454	103.554
24	T	1.6497	5.2242	2.9773	6.0749	4.5387	4.9013	7.8393	4.9055	4.1681	7.1051	5.5543	7.1631	6.2047	68.3062
	S	141.761	101.407	59.999	102.695	98.096	85.970	80.886	75.333	116.960	141.064	127.788	89.093	128.348	103.510
25	T	1.6519	5.1784	2.9926	6.0887	4.5554	4.9003	7.9103	4.9470	4.2193	7.1417	5.5053	7.1342	6.1901	68.4152
	S	141.573	102.304	59.693	102.463	97.736	85.987	80.160	74.701	115.540	140.341	128.925	89.454	128.651	103.345
26	T	1.6494	5.2774	2.9636	6.0659	4.5264	4.9258	7.9272	4.8803	4.1824	7.1042	5.5838	7.1796	6.2217	68.4877
	S	141.787	100.385	60.277	102.848	98.362	85.542	79.989	75.722	116.560	141.082	127.113	88.888	127.998	103.236
27	T	1.6486	5.1738	2.9635	6.0843	4.5708	4.9416	7.9338	4.8856	4.1895	7.0991	5.5566	7.1862	6.1986	68.4320
	S	141.856	102.395	60.279	102.537	97.407	85.269	79.923	75.640	116.362	141.183	127.735	88.807	128.475	103.320
28	T	1.6432	5.2568	2.9813	6.0818	4.5609	4.9167	7.9339	4.8682	4.1798	7.1110	5.5676	7.1763	6.1929	68.4704
	S	142.322	100.779	59.919	102.579	97.618	85.700	79.922	75.910	116.632	140.947	127.483	88.929	128.593	103.262
29	T	1.6458	5.2252	2.9494	6.0649	4.5428	4.8675	7.9032	4.9084	4.1882	7.1199	5.5900	7.2183	6.2046	68.4282
	S	142.097	101.388	60.567	102.865	98.007	86.567	80.232	75.288	116.398	140.771	126.972	88.412	128.351	103.326
30	T	1.6440	5.2596	2.9617	6.0370	4.5193	4.9031	7.8769	4.9029	4.1849	7.1203	5.5287	7.1670	6.1872	68.2926
	S	142.253	100.725	60.315	103.340	98.517	85.938	80.500	75.373	116.490	140.763	128.380	89.044	128.711	103.531
31	T	1.7367	6.7890	3.5592	9.1525	6.7458	6.8795	10.1503							
	S	134.660	78.034	50.190	68.163	66.001	61.249	62.470							

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 27 - Round-Garrido, Matt (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.4684	6.7765	5.2432	6.6374	5.0516	5.2377	8.2866	5.3462	4.3435	7.2248	5.8477	7.7319	6.3541	76.5496	122.5295
	S	94.743	78.178	34.070	93.992	88.136	80.448	76.520	69.123	112.237	138.727	121.376	82.539	125.331	92.364	56.469
2	T	1.6676	5.4138	3.4962	6.2914	4.8128	5.1326	8.5908	5.1425	4.2560	7.0978	5.8830	7.4562	6.2646	71.5053	
	S	140.240	97.856	51.094	99.161	92.509	82.096	73.810	71.861	114.544	141.209	120.648	85.591	127.121	98.879	
3	T	1.6391	5.6053	3.1978	6.2591	4.8275	5.0962	8.3873	5.2280	4.2905	7.0575	5.9175	7.6137	6.2504	71.3699	
	S	142.678	94.513	55.862	99.673	92.227	82.682	75.601	70.686	113.623	142.015	119.945	83.820	127.410	99.067	
4	T	1.6332	5.4871	3.1448	6.1896	4.6897	5.0750	8.0177	5.0841	4.2519	7.1021	5.8720	7.5406	6.2161	70.3039	
	S	143.194	96.549	56.804	100.792	94.937	83.027	79.086	72.687	114.655	141.123	120.874	84.633	128.113	100.569	
5	T	1.6354	5.3777	3.1191	6.1716	4.7121	5.0138	8.2377	4.9923	4.2045	7.0637	5.8335	7.6359	6.2723	70.2696	
	S	143.001	98.513	57.272	101.086	94.486	84.041	76.974	74.023	115.947	141.891	121.672	83.577	126.965	100.618	
6	T	1.6430	5.3297	3.1047	6.1880	4.5560	5.0180	8.1647	4.9610	4.2203	7.1114	5.7356	7.4059	6.2369	69.6752	
	S	142.339	99.400	57.537	100.818	97.723	83.970	77.662	74.490	115.513	140.939	123.749	86.172	127.686	101.477	
7	T	1.6415	5.3140	3.2906	6.2985	4.7991	5.1106	8.2194	4.9200	4.2038	7.0165	5.9787	7.4023	6.2292	70.4242	
	S	142.469	99.694	54.287	99.050	92.773	82.449	77.146	75.111	115.967	142.845	118.717	86.214	127.844	100.397	
8	T	1.6357	5.3802	3.2830	6.2506	4.6443	5.0576	7.9071	4.9824	4.2126	7.1843	5.6495	7.3114	6.2549	69.7536	
	S	142.975	98.467	54.413	99.809	95.865	83.313	80.193	74.170	115.724	139.509	125.635	87.286	127.318	101.363	
9	T	1.6586	5.1964	2.9923	6.1290	4.6421	4.9865	7.8218	4.9830	4.2247	7.1311	5.6490	7.3789	6.2903	69.0837	
	S	141.001	101.950	59.699	101.789	95.911	84.501	81.067	74.161	115.393	140.550	125.646	86.487	126.602	102.345	
10	T	1.6620	5.2556	3.0945	6.1545	4.6379	5.2800	7.9621	4.9194	4.2475	7.1893	5.6255	7.2896	6.2846	69.6025	
	S	140.712	100.802	57.727	101.367	95.998	79.804	79.639	75.120	114.773	139.412	126.171	87.547	126.717	101.583	
11	T	1.6591	5.2459	3.0326	6.1791	4.6299	4.9646	7.9414	4.8816	4.2275	7.1658	5.5424	7.5971	6.3883	69.4553	
	S	140.958	100.988	58.905	100.964	96.163	84.874	79.846	75.702	115.316	139.869	128.062	84.003	124.660	101.798	
12	T	1.6960	5.5848	3.3775	6.2640	4.8794	5.0244	8.0974	4.9006	4.2408	7.1380	5.6773	7.3691	6.2586	70.5079	
	S	137.891	94.860	52.890	99.595	91.246	83.863	78.308	75.408	114.955	140.414	125.019	86.602	127.243	100.278	
13	T	1.6543	5.3046	3.0511	6.1657	4.6417	5.0491	7.9848	4.9637	4.2429	7.1676	5.6431	7.5046	6.3350	69.7082	
	S	141.367	99.870	58.548	101.183	95.919	83.453	79.412	74.450	114.898	139.834	125.777	85.039	125.709	101.429	
14	T	1.6690	5.2458	3.0454	6.1645	4.6397	4.9830	8.2403	4.9356	4.2436	7.2142	5.6925	7.3915	6.3127	69.7778	
	S	140.122	100.990	58.658	101.203	95.960	84.560	76.950	74.873	114.879	138.931	124.686	86.340	126.153	101.327	
15	T	1.6623	5.2827	3.0188	6.1652	4.6598	5.0511	7.9895	4.8758	4.2301	7.2249	5.7362	7.3354	6.3022	69.5340	
	S	140.687	100.284	59.175	101.191	95.546	83.420	79.366	75.792	115.246	138.725	123.736	87.000	126.363	101.683	
16	T	1.6766	5.2465	3.0211	6.1399	4.7055	5.0267	7.8972	4.9459	4.2464	7.2168	5.6498	7.3318	6.3224	69.4266	
	S	139.487	100.976	59.130	101.608	94.618	83.825	80.293	74.718	114.803	138.880	125.628	87.043	125.959	101.840	
17	T	1.6755	5.2726	3.0602	6.1758	4.6630	4.9769	7.8951	4.9614	4.2273	7.2058	5.6316	7.5925	6.4078	69.7455	
	S	139.578	100.477	58.374	101.017	95.481	84.664	80.314	74.484	115.322	139.092	126.034	84.054	124.280	101.374	
18	T	1.6883	5.3039	3.1787	6.2287	4.7001	5.0048	7.7870	4.9738	4.2305	7.2007	5.7498	7.3829	6.3134	69.7426	
	S	138.520	99.884	56.198	100.160	94.727	84.192	81.429	74.298	115.235	139.191	123.443	86.441	126.139	101.378	
19	T	1.6694	5.3654	3.0243	6.1531	4.6667	5.0667	7.8906	4.9250	4.2494	7.2255	5.7955	7.3289	6.3352	69.6957	
	S	140.088	98.739	59.067	101.390	95.405	83.163	80.360	75.035	114.722	138.713	122.470	87.077	125.705	101.447	



Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 27 - Round-Garrido, Matt (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6777	5.4073	3.0388	6.1192	4.7378	5.0572	8.0190	4.8906	4.2106	7.1919	5.7012	7.2717	6.3269	69.6499
	S	139.395	97.974	58.785	101.952	93.973	83.320	79.074	75.562	115.779	139.361	124.495	87.762	125.869	101.513
21	T	1.6763	5.3117	3.0109	6.1283	4.6817	4.9903	7.9090	4.9022	4.2253	7.2162	5.7490	7.3467	6.2940	69.4416
	S	139.512	99.737	59.330	101.800	95.099	84.437	80.173	75.384	115.376	138.892	123.460	86.866	126.527	101.818
22	T	1.6729	5.4730	3.1499	6.2270	4.6781	5.1147	7.9968	4.8249	4.2310	7.2016	5.6852	7.4057	6.3176	69.9784
	S	139.795	96.798	56.712	100.187	95.173	82.383	79.293	76.591	115.221	139.174	124.846	86.174	126.055	101.037
23	T	1.6766	5.3596	3.0192	6.1340	4.6563	5.0047	7.9743	4.8363	4.2108	7.2215	5.6751	7.4870	6.3516	69.6070
	S	139.487	98.846	59.167	101.706	95.618	84.194	79.517	76.411	115.774	138.790	125.068	85.239	125.380	101.576
24	T	1.6826	5.4661	3.0101	6.1227	4.5819	5.0418	7.9066	4.8455	4.2135	7.2348	5.7118	7.3684	6.3114	69.4972
	S	138.989	96.920	59.346	101.894	97.171	83.574	80.198	76.266	115.700	138.535	124.264	86.611	126.179	101.736
25	T	1.6819	5.2420	3.0280	6.1651	4.6538	5.0346	7.9198	4.8933	4.2167	7.2313	5.7050	7.4016	6.3421	69.5152
	S	139.047	101.063	58.995	101.193	95.670	83.694	80.064	75.521	115.612	138.602	124.412	86.222	125.568	101.710
26	T	1.6849	5.3138	2.9987	6.1466	4.6848	5.0831	7.9058	4.8962	4.2294	7.2263	5.8060	7.4450	6.3359	69.7565
	S	138.800	99.698	59.571	101.497	95.037	82.895	80.206	75.476	115.265	138.698	122.248	85.720	125.691	101.358
27	T	1.6792	5.2447	3.1014	6.2227	4.6974	5.1081	7.9724	4.9237	4.2397	7.2647	5.7578	7.4724	6.3783	70.0625
	S	139.271	101.011	57.599	100.256	94.782	82.489	79.536	75.054	114.985	137.965	123.272	85.405	124.855	100.916
28	T	1.6832	5.5726	3.2325	6.1699	5.0392	5.1495	8.0608	4.9370	4.2164	7.1810	5.8274	7.4117	6.2846	70.7658
	S	138.940	95.067	55.263	101.114	88.353	81.826	78.664	74.852	115.620	139.573	121.799	86.105	126.717	99.913
29	T	1.6653	5.3714	3.1645	6.2126	4.7951	5.0922	7.9869	4.8982	4.2369	7.2175	5.7792	7.3570	6.3040	70.0808
	S	140.433	98.628	56.450	100.419	92.850	82.747	79.391	75.445	115.061	138.867	122.815	86.745	126.327	100.889
30	T	1.6687	5.4431	3.0697	6.1508	4.6684	4.9985	7.9980	4.9695	4.2412	7.2226	5.8000	7.3922	6.3080	69.9307
	S	140.147	97.329	58.193	101.428	95.370	84.298	79.281	74.363	114.944	138.769	122.375	86.332	126.247	101.106
31	T	1.7795													
	S	131.421													



Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.4736	6.1523	3.6726	6.3570	4.8406	4.9876	8.1084	4.9656	4.2402	7.1867	5.6891	7.3666	6.2918	72.3321	133.1315
	S	94.544	86.110	48.640	98.138	91.978	84.482	78.202	74.421	114.971	139.462	124.760	86.632	126.572	97.749	51.972
2	T	1.6625	5.2701	3.1152	6.1830	4.7462	4.9651	7.9276	4.9180	4.2388	7.1944	5.7465	7.4202	6.2971	69.6847	
	S	140.670	100.524	57.343	100.900	93.807	84.865	79.985	75.141	115.009	139.313	123.514	86.006	126.465	101.463	
3	T	1.6601	5.2793	3.0332	6.1132	4.5675	4.8889	7.8929	4.9345	4.2274	7.1749	5.6492	7.3685	6.2980	69.0876	
	S	140.873	100.349	58.894	102.052	97.477	86.188	80.337	74.890	115.319	139.692	125.641	86.609	126.447	102.340	
4	T	1.6572	5.1703	3.0413	6.1118	4.5525	4.9142	7.8095	4.8672	4.2106	7.1475	5.6165	7.3464	6.2680	68.7130	
	S	141.120	102.465	58.737	102.075	97.798	85.744	81.195	75.926	115.779	140.227	126.373	86.870	127.052	102.898	
5	T	1.6538	5.1414	3.0932	6.0987	4.5253	4.9054	7.8224	4.8855	4.2223	7.1604	5.6449	7.3230	6.2393	68.7156	
	S	141.410	103.041	57.751	102.295	98.386	85.898	81.061	75.641	115.458	139.974	125.737	87.148	127.637	102.894	
6	T	1.6514	5.1144	3.0661	6.1097	4.5296	4.8597	7.8277	4.8468	4.2024	7.1739	5.6854	7.2935	6.2146	68.5752	
	S	141.615	103.585	58.262	102.110	98.293	86.706	81.006	76.245	116.005	139.711	124.841	87.500	128.144	103.104	
7	T	1.6479	5.1387	3.0448	6.1147	4.5222	4.8658	7.7968	4.9088	4.1972	7.1282	5.6351	7.1991	6.1904	68.3897	
	S	141.916	103.095	58.669	102.027	98.454	86.597	81.327	75.282	116.149	140.607	125.956	88.647	128.645	103.384	
8	T	1.6534	5.1823	3.0353	6.1016	4.4780	4.8857	7.8114	4.8907	4.2075	7.1391	5.5733	7.1856	6.1910	68.3349	
	S	141.444	102.227	58.853	102.246	99.425	86.244	81.175	75.561	115.865	140.392	127.352	88.814	128.632	103.467	
9	T	1.6476	5.2082	2.9991	6.0691	4.5120	4.8556	7.7683	4.8849	4.1937	7.1209	5.6329	7.3613	6.2682	68.5218	
	S	141.942	101.719	59.563	102.793	98.676	86.779	81.625	75.651	116.246	140.751	126.005	86.694	127.048	103.185	
10	T	1.6583	5.2458	3.0267	6.0610	4.5201	4.8729	7.8553	4.8369	4.1924	7.1218	5.6036	7.1558	6.2100	68.3606	
	S	141.026	100.990	59.020	102.931	98.499	86.471	80.721	76.401	116.282	140.733	126.664	89.184	128.239	103.428	
11	T	1.6506	5.0975	2.9909	6.0456	4.5013	4.8521	7.8064	4.7983	4.1946	7.1210	5.5906	7.1423	6.1966	67.9878	
	S	141.684	103.928	59.727	103.193	98.911	86.841	81.227	77.016	116.221	140.749	126.958	89.352	128.516	103.995	
12	T	1.6516	5.1323	2.9755	6.0363	4.4887	4.8256	7.8108	4.8357	4.2089	7.1369	5.5323	7.1243	6.2026	67.9615	
	S	141.598	103.223	60.036	103.352	99.188	87.318	81.181	76.420	115.826	140.435	128.296	89.578	128.392	104.035	
13	T	1.6499	5.1528	3.0002	6.0593	4.4763	4.8888	7.7425	4.8230	4.2057	7.1532	5.6380	7.1745	6.2150	68.1792	
	S	141.744	102.813	59.541	102.960	99.463	86.190	81.897	76.621	115.914	140.115	125.891	88.951	128.136	103.703	
14	T	1.6502	5.2232	2.9796	6.0416	4.5052	4.8796	7.7701	4.8668	4.2023	7.1231	5.6351	7.1888	6.2140	68.2796	
	S	141.718	101.427	59.953	103.261	98.825	86.352	81.607	75.932	116.008	140.707	125.956	88.774	128.156	103.551	
15	T	1.6480	5.2216	2.9753	6.0528	4.5417	4.8895	7.8492	4.8143	4.1761	7.1224	5.5762	7.1990	6.2093	68.2754	
	S	141.908	101.458	60.040	103.070	98.031	86.177	80.784	76.760	116.736	140.721	127.286	88.649	128.253	103.557	
16	T	1.6487	5.1942	2.9893	6.0738	4.5523	4.8665	7.7528	4.8301	4.1948	7.1280	5.5486	7.1901	6.2147	68.1839	
	S	141.847	101.993	59.759	102.714	97.803	86.585	81.789	76.509	116.215	140.611	127.919	88.758	128.142	103.696	
17	T	1.6531	5.2163	2.9887	6.0694	4.5229	4.8718	7.8186	4.8229	4.1999	7.1391	5.6005	7.1529	6.2086	68.2647	
	S	141.470	101.561	59.771	102.788	98.438	86.490	81.100	76.623	116.074	140.392	126.734	89.220	128.268	103.573	
18	T	1.6507	5.1513	2.9667	6.0325	4.5282	4.9340	7.7739	4.8484	4.1936	7.1241	5.5911	7.1597	6.2087	68.1629	
	S	141.675	102.843	60.214	103.417	98.323	85.400	81.567	76.220	116.249	140.688	126.947	89.135	128.266	103.728	
19	T	1.6492	5.1963	3.0000	6.0508	4.5720	4.8747	7.7708	4.8381	4.1717	7.1126	5.6092	7.1369	6.1957	68.1780	
	S	141.804	101.952	59.545	103.104	97.381	86.439	81.599	76.382	116.859	140.915	126.537	89.420	128.535	103.705	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 28 - Kirkwood, Kyle (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6450	5.1601	2.9947	6.0478	4.5063	4.8785	7.8116	4.8153	4.1852	7.1456	5.6485	7.2027	6.2276	68.2689
	S	142.166	102.667	59.651	103.155	98.801	86.372	81.173	76.744	116.482	140.264	125.657	88.603	127.876	103.567
21	T	1.6530	5.2261	2.9560	6.0190	4.5199	4.8813	7.8002	4.8390	4.1869	7.1099	5.6147	7.1469	6.2010	68.1539
	S	141.478	101.371	60.432	103.649	98.504	86.322	81.292	76.368	116.435	140.969	126.413	89.295	128.425	103.742
22	T	1.6454	5.1827	2.9932	6.0528	4.5430	4.8714	7.7654	4.8430	4.1849	7.1059	5.6101	7.1669	6.1910	68.1557
	S	142.132	102.219	59.681	103.070	98.003	86.497	81.656	76.305	116.490	141.048	126.517	89.046	128.632	103.739
23	T	1.6474	5.1194	3.0376	6.0610	4.5602	4.9017	7.8073	4.8147	4.1843	7.1328	5.6333	7.1559	6.1949	68.2505
	S	141.959	103.483	58.808	102.931	97.633	85.963	81.218	76.754	116.507	140.516	125.996	89.183	128.551	103.595
24	T	1.6565	5.1736	3.0118	6.0508	4.5156	4.8819	7.8210	4.7864	4.1837	7.1099	5.5067	7.0493	6.1736	67.9208
	S	141.179	102.399	59.312	103.104	98.598	86.311	81.075	77.207	116.524	140.969	128.893	90.531	128.995	104.098
25	T	1.6471	5.0716	2.9760	6.0339	4.4717	4.8562	7.7103	4.8511	4.1845	7.1428	5.6454	7.1486	6.1870	67.9262
	S	141.985	104.459	60.026	103.393	99.566	86.768	82.239	76.178	116.501	140.319	125.726	89.274	128.716	104.089
26	T	1.6478	5.2798	3.0173	6.0444	4.5227	4.8953	7.7763	4.8572	4.1855	7.1113	5.5018	7.1298	6.2176	68.1868
	S	141.925	100.340	59.204	103.213	98.443	86.075	81.541	76.082	116.474	140.941	129.007	89.509	128.082	103.692
27	T	1.6487	5.1477	2.9906	6.0354	4.5447	4.8440	7.7523	4.8180	4.1752	7.0867	5.5439	7.1291	6.1802	67.8965
	S	141.847	102.914	59.733	103.367	97.966	86.987	81.794	76.701	116.761	141.430	128.028	89.518	128.857	104.135
28	T	1.6399	5.2269	3.0204	6.0701	4.6147	4.8862	7.7737	4.8988	4.1839	7.1134	5.6962	7.2062	6.1993	68.5297
	S	142.608	101.355	59.143	102.777	96.480	86.235	81.569	75.436	116.518	140.899	124.605	88.560	128.460	103.173
29	T	1.6426	5.2144	3.0057	6.0331	4.5302	4.9140	7.7639	4.7976	4.1753	7.1093	5.5578	7.1484	6.1954	68.0877
	S	142.374	101.598	59.433	103.407	98.280	85.748	81.672	77.027	116.758	140.981	127.707	89.276	128.541	103.843
30	T	1.6486	5.1360	2.9510	6.0117	4.5498	4.8633	7.7549	4.8577	4.2179	7.1354	5.5194	7.1410	6.6645	68.4512
	S	141.856	103.149	60.534	103.775	97.856	86.642	81.766	76.074	115.579	140.465	128.596	89.369	119.493	103.291
31	T	2.0678	8.2907	4.8996	6.5592	5.9351	6.0375	11.1904	7.8479						
	S	113.098	63.900	36.459	95.113	75.016	69.791	56.664	47.088						

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 3 - Comeau, Antoine (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.4325	6.5891	4.3358	6.4854	5.1427	5.2684	8.2449	5.7545	4.2932	7.2398	6.6034	7.6836	6.3489	76.4222	90.8083
	S	96.141	80.401	41.200	96.195	86.575	79.979	76.907	64.219	113.552	138.439	107.486	83.058	125.433	92.518	76.194
2	T	1.6627	6.0243	3.6437	6.3401	4.8037	4.9835	8.2505	5.1901	4.2575	7.1373	5.7934	7.4323	6.3093	71.8284	
	S	140.653	87.939	49.026	98.400	92.684	84.552	76.855	71.202	114.504	140.427	122.514	85.866	126.221	98.435	
3	T	1.6520	5.4269	3.2497	6.2697	4.7525	5.0961	8.0624	5.1972	4.2391	7.1323	5.9298	7.6660	6.2831	70.9568	
	S	141.564	97.620	54.970	99.505	93.683	82.684	78.648	71.105	115.001	140.526	119.696	83.248	126.747	99.644	
4	T	1.6463	5.5054	3.1924	6.2828	5.0420	5.0848	8.0989	5.1362	4.2534	7.1302	5.9213	7.5526	6.3096	71.1559	
	S	142.054	96.228	55.957	99.297	88.304	82.867	78.293	71.949	114.614	140.567	119.868	84.498	126.215	99.365	
5	T	1.6561	5.3609	3.1536	6.1770	4.7627	4.9892	8.0692	5.0945	4.2357	7.1324	5.8518	7.3386	6.2474	70.0691	
	S	141.213	98.822	56.645	100.998	93.482	84.455	78.582	72.538	115.093	140.524	121.291	86.962	127.471	100.906	
6	T	1.6462	5.3041	3.1906	6.2534	4.7603	4.9905	8.1856	5.0629	4.2676	7.1627	5.7745	7.3105	6.2746	70.1835	
	S	142.063	99.880	55.988	99.764	93.529	84.433	77.464	72.991	114.233	139.929	122.915	87.297	126.919	100.742	
7	T	1.6611	5.3231	3.1985	6.2587	4.8084	5.0059	8.0759	5.0954	4.2570	7.1573	5.8700	7.4394	6.2459	70.3966	
	S	140.788	99.523	55.850	99.679	92.594	84.173	78.516	72.525	114.517	140.035	120.915	85.784	127.502	100.437	
8	T	1.6552	5.3082	3.0476	6.1603	4.8133	5.0634	8.1101	5.1053	4.2576	7.1526	5.8745	7.4012	6.2570	70.2063	
	S	141.290	99.803	58.615	101.272	92.499	83.218	78.185	72.385	114.501	140.127	120.823	86.227	127.276	100.709	
9	T	1.6583	5.3475	3.0297	6.1508	4.7401	4.9926	8.0424	4.9668	4.2529	7.1487	5.7703	7.3070	6.2675	69.6746	
	S	141.026	99.069	58.962	101.428	93.928	84.398	78.843	74.403	114.628	140.203	123.004	87.338	127.062	101.477	
10	T	1.6597	5.3380	3.0423	6.1421	4.7450	5.0347	8.0262	5.0428	4.2432	7.1476	5.8542	7.4552	6.3093	70.0403	
	S	140.907	99.246	58.718	101.572	93.831	83.692	79.003	73.282	114.890	140.225	121.242	85.602	126.221	100.948	
11	T	1.6622	5.3712	3.0214	6.1568	4.7793	4.9406	7.9750	5.0375	4.2434	7.1305	5.7192	7.3285	6.2699	69.6355	
	S	140.695	98.632	59.124	101.329	93.157	85.286	79.510	73.359	114.884	140.561	124.103	87.082	127.014	101.534	
12	T	1.6563	5.2590	3.0818	6.3395	4.7018	4.9647	8.0360	4.9563	4.2615	7.1649	5.7531	7.4496	6.3049	69.9294	
	S	141.196	100.736	57.965	98.409	94.693	84.872	78.906	74.561	114.396	139.886	123.372	85.667	126.309	101.108	
13	T	1.6679	5.2863	3.0513	6.2595	4.7310	4.9900	7.9992	5.0531	4.2893	7.2007	5.6957	7.3325	6.3099	69.8664	
	S	140.214	100.216	58.544	99.667	94.108	84.442	79.269	73.132	113.655	139.191	124.616	87.035	126.209	101.199	
14	T	1.6708	5.2513	3.1311	6.2358	4.6588	4.9539	8.0319	4.9823	4.2618	7.2020	5.7507	7.3453	6.2865	69.7622	
	S	139.971	100.884	57.052	100.045	95.567	85.057	78.947	74.172	114.388	139.166	123.424	86.883	126.678	101.350	
15	T	1.6649	5.3085	3.0260	6.1470	4.6224	4.9779	7.9865	5.0305	4.2364	7.1913	5.6873	7.2680	6.2663	69.4130	
	S	140.467	99.797	59.034	101.491	96.320	84.647	79.395	73.461	115.074	139.373	124.800	87.807	127.087	101.860	
16	T	1.6665	5.2175	3.0414	6.2011	4.6549	4.9073	7.8919	5.0598	4.2422	7.1640	5.6999	7.4128	6.3084	69.4677	
	S	140.332	101.538	58.735	100.605	95.647	85.865	80.347	73.036	114.917	139.904	124.524	86.092	126.239	101.780	
17	T	1.6688	5.2105	3.0627	6.2050	4.7010	4.9189	8.0424	5.0170	4.2306	7.1584	5.6979	7.3439	6.2793	69.5364	
	S	140.139	101.674	58.326	100.542	94.709	85.662	78.843	73.659	115.232	140.014	124.567	86.900	126.824	101.679	
18	T	1.6629	5.2177	3.0273	6.1677	4.6199	4.9410	8.0013	5.0473	4.2551	7.1769	5.7066	7.4090	6.2957	69.5284	
	S	140.636	101.534	59.008	101.150	96.372	85.279	79.248	73.216	114.568	139.653	124.378	86.136	126.493	101.691	
19	T	1.6596	5.1955	3.0272	6.1304	4.6449	5.0377	7.9293	5.0058	4.2490	7.1709	5.7227	7.4055	6.3185	69.4970	
	S	140.916	101.968	59.010	101.766	95.853	83.642	79.968	73.823	114.733	139.769	124.028	86.177	126.037	101.737	

**Event:** Cooper Tires Indy Pro 2000 Portland GP**Round 13 / 14****Track:** Portland International Raceway**1.964 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race 2**September 1, 2019****Section Data for Car 3 - Comeau, Antoine (R)**

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6649	5.2590	3.0099	6.1290	4.6616	4.9828	7.9408	4.9151	4.2297	7.1530	5.7379	7.3139	6.2913	69.2889
	S	140.467	100.736	59.350	101.789	95.510	84.564	79.852	75.186	115.256	140.119	123.699	87.256	126.582	102.042
21	T	1.6557	5.3079	3.0210	6.1073	4.6496	4.9716	7.9726	4.9457	4.2341	7.1484	5.7572	7.4782	6.2691	69.5184
	S	141.248	99.808	59.132	102.150	95.756	84.754	79.534	74.721	115.137	140.209	123.284	85.339	127.030	101.705
22	T	1.6527	5.2909	3.0451	6.1543	4.6758	5.0171	8.0196	5.0297	4.2401	7.1357	5.6704	7.4166	6.2656	69.6136
	S	141.504	100.129	58.664	101.370	95.219	83.985	79.068	73.473	114.974	140.459	125.172	86.048	127.101	101.566
23	T	1.6556	7.1122	3.9549	6.3930	4.8242	5.0398	8.0065	5.0042	4.2400	7.1892	5.8264	7.4465	6.2785	72.9710
	S	141.256	74.488	45.168	97.585	92.290	83.607	79.197	73.847	114.976	139.414	121.820	85.702	126.840	96.893
24	T	1.6676	5.4384	3.0335	6.1529	4.6312	4.9224	8.0021	4.9642	4.2291	7.1935	5.7358	7.3688	6.2669	69.6064
	S	140.240	97.413	58.888	101.393	96.136	85.601	79.241	74.442	115.273	139.330	123.744	86.606	127.075	101.577
25	T	1.6623	5.2859	3.0082	6.1270	4.6528	4.9211	7.9823	4.9846	4.2486	7.1914	5.6721	7.3396	6.2837	69.3596
	S	140.687	100.224	59.383	101.822	95.690	85.624	79.437	74.137	114.744	139.371	125.134	86.950	126.735	101.938
26	T	1.6628	5.3023	3.0039	6.1375	4.6931	4.9689	7.8455	5.0093	4.2274	7.1761	5.7205	7.2901	6.2542	69.2916
	S	140.644	99.914	59.468	101.648	94.868	84.800	80.822	73.772	115.319	139.668	124.075	87.541	127.333	102.038
27	T	1.6581	5.2505	3.0267	6.2226	4.5994	4.9359	7.9242	4.9978	4.2364	7.1668	5.6383	7.3821	6.2736	69.3124
	S	141.043	100.899	59.020	100.258	96.801	85.367	80.020	73.942	115.074	139.849	125.884	86.450	126.939	102.008
28	T	1.6567	5.1353	3.1049	6.2063	4.6422	5.0434	7.8662	5.0002	4.2665	7.1658	5.6555	7.3379	6.2480	69.3289
	S	141.162	103.163	57.534	100.521	95.909	83.548	80.610	73.906	114.262	139.869	125.501	86.971	127.459	101.983
29	T	1.6583	5.2508	3.0528	6.1394	4.6009	4.9176	7.9835	5.0012	4.2477	7.1694	5.6635	7.3730	6.2365	69.2946
	S	141.026	100.894	58.516	101.616	96.770	85.685	79.425	73.891	114.768	139.799	125.324	86.557	127.694	102.034
30	T	1.6542	5.2689	3.0226	6.1096	4.6265	4.9572	7.9218	4.9921	4.2489	7.1549	5.6631	7.3743	6.2267	69.2208
	S	141.376	100.547	59.100	102.112	96.234	85.000	80.044	74.026	114.736	140.082	125.333	86.541	127.895	102.143
31	T	1.7340													
	S	134.869													

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 5 - Petrov, Artem (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.4670	6.5014	3.9688	6.4490	5.2033	5.2707	8.1106	5.4872	4.3959	7.3099	6.1709	7.5788	6.2525	75.1660	126.5912
	S	94.797	81.486	45.010	96.738	85.566	79.945	78.181	67.347	110.899	137.112	115.019	84.206	127.367	94.064	54.657
2	T	1.6392	5.4696	3.1462	6.1807	4.7204	5.2734	8.0465	5.0143	4.1921	6.9720	6.3770	7.5610	6.2505	70.8429	
	S	142.669	96.858	56.778	100.937	94.320	79.904	78.803	73.698	116.290	143.757	111.302	84.404	127.408	99.804	
3	T	1.6543	5.3431	3.3297	6.2702	4.5873	5.1287	8.0419	5.0021	4.2252	7.1110	5.8030	7.7757	6.2894	70.5616	
	S	141.367	99.151	53.649	99.497	97.056	82.158	78.848	73.878	115.379	140.947	122.311	82.074	126.620	100.202	
4	T	1.6530	5.2418	3.2247	6.1945	4.6558	4.9827	7.9039	5.0755	4.2206	7.0992	5.7696	7.3652	6.2315	69.6180	
	S	141.478	101.067	55.396	100.713	95.629	84.565	80.225	72.810	115.505	141.181	123.019	86.648	127.796	101.560	
5	T	1.6440	5.3396	2.9754	6.0612	4.5407	5.0735	7.8762	5.0044	4.2265	7.1134	5.6915	7.3622	6.2225	69.1311	
	S	142.253	99.216	60.038	102.927	98.053	83.052	80.507	73.844	115.344	140.899	124.707	86.684	127.981	102.275	
6	T	1.6484	5.1894	3.1086	6.1391	4.5869	4.8814	8.0613	4.9343	4.2197	7.0918	5.6832	7.1839	6.1810	68.9090	
	S	141.873	102.087	57.465	101.621	97.065	86.320	78.659	74.893	115.530	141.328	124.890	88.835	128.841	102.605	
7	T	1.6395	5.1799	3.0972	6.1508	4.6403	4.9024	8.0360	4.8925	4.2043	7.0986	5.5991	7.2629	6.1888	68.8923	
	S	142.643	102.275	57.677	101.428	95.948	85.950	78.906	75.533	115.953	141.193	126.766	87.869	128.678	102.630	
8	T	1.6403	5.0943	3.0570	6.1141	4.6905	4.9609	7.7931	4.9560	4.2132	7.0649	5.6831	7.4070	6.2025	68.8769	
	S	142.574	103.993	58.435	102.037	94.921	84.937	81.366	74.565	115.708	141.867	124.892	86.159	128.394	102.653	
9	T	1.6379	5.1433	3.0695	6.1267	4.6908	4.8744	7.8055	5.0345	4.2165	7.0800	5.5323	7.2715	6.2134	68.6963	
	S	142.783	103.002	58.197	101.827	94.915	86.444	81.236	73.403	115.617	141.564	128.296	87.765	128.169	102.923	
10	T	1.6395	5.0726	3.0892	6.1419	4.5738	4.8718	7.8814	5.0178	4.2183	7.0672	5.5683	7.0956	6.1555	68.3929	
	S	142.643	104.438	57.826	101.575	97.343	86.490	80.454	73.647	115.568	141.820	127.467	89.941	129.374	103.379	
11	T	1.6329	5.1562	3.1747	6.1568	4.6910	4.9212	7.8392	4.8862	4.1971	7.0661	5.5465	7.1885	6.1590	68.6154	
	S	143.220	102.745	56.269	101.329	94.911	85.622	80.887	75.630	116.152	141.842	127.968	88.778	129.301	103.044	
12	T	1.6304	5.1591	3.0565	6.1098	4.5633	4.9193	7.8196	4.9646	4.2239	7.0625	5.6156	7.2219	6.1636	68.5101	
	S	143.439	102.687	58.445	102.109	97.567	85.655	81.090	74.436	115.415	141.915	126.393	88.368	129.204	103.202	
13	T	1.6296	5.1856	3.0131	6.0838	4.6972	4.9552	7.8896	4.9400	4.1985	7.0338	5.6514	7.1599	6.1235	68.5612	
	S	143.510	102.162	59.287	102.545	94.786	85.035	80.370	74.807	116.113	142.494	125.592	89.133	130.050	103.125	
14	T	1.6153	5.4109	3.0650	6.1292	4.6073	4.9336	7.8843	4.8797	4.1790	7.1109	5.7175	7.2569	6.2046	68.9942	
	S	144.780	97.908	58.283	101.785	96.635	85.407	80.425	75.731	116.655	140.949	124.140	87.941	128.351	102.478	
15	T	1.6406	5.1927	2.9982	6.1055	4.5686	4.9051	7.8610	4.9690	4.2153	7.1249	5.6309	7.1948	6.1795	68.5861	
	S	142.548	102.023	59.581	102.181	97.454	85.903	80.663	74.370	115.650	140.672	126.050	88.700	128.872	103.088	
16	T	1.6389	5.1473	3.0345	6.0978	4.5456	4.8910	7.8252	4.8408	4.1953	7.0944	5.5623	7.2110	6.1835	68.2676	
	S	142.695	102.922	58.868	102.310	97.947	86.151	81.032	76.340	116.201	141.277	127.604	88.501	128.788	103.569	
17	T	1.6418	5.2363	2.9722	6.0525	4.5814	4.8714	7.8770	4.8382	4.1905	7.0910	5.5628	7.2627	6.2160	68.3938	
	S	142.443	101.173	60.102	103.075	97.181	86.497	80.499	76.381	116.335	141.344	127.593	87.871	128.115	103.378	
18	T	1.6444	5.0835	3.0198	6.0847	4.5674	4.8264	7.7650	4.9714	4.2200	7.0808	5.5211	7.2729	6.1908	68.2482	
	S	142.218	104.214	59.155	102.530	97.479	87.304	81.660	74.334	115.521	141.548	128.556	87.748	128.637	103.598	
19	T	1.6350	5.1829	3.0277	6.0785	4.5747	4.8877	7.7877	4.8109	4.1861	7.0736	5.6001	7.1442	6.1842	68.1733	
	S	143.036	102.216	59.001	102.634	97.324	86.209	81.422	76.814	116.457	141.692	126.743	89.329	128.774	103.712	

**Event:** Cooper Tires Indy Pro 2000 Portland GP**Round 13 / 14****Track:** Portland International Raceway**1.964 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race 2**September 1, 2019****Section Data for Car 5 - Petrov, Artem (R)**

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6353	5.1322	3.0318	6.1022	4.5770	4.8754	7.8415	4.8306	4.1803	7.0735	5.5146	7.2294	6.2186	68.2424
	S	143.010	103.225	58.921	102.236	97.275	86.426	80.863	76.501	116.618	141.694	128.708	88.276	128.062	103.607
21	T	1.6399	5.2185	2.9812	6.0604	4.6158	4.8975	7.8340	4.8176	4.1770	7.0543	5.5672	7.1846	6.1692	68.2172
	S	142.608	101.518	59.921	102.941	96.457	86.036	80.941	76.707	116.711	142.080	127.492	88.826	129.087	103.645
22	T	1.6296	5.1098	3.0785	6.0938	4.6113	4.9164	7.8299	4.8414	4.1791	7.0431	5.5409	7.0812	6.1220	68.0770
	S	143.510	103.678	58.027	102.377	96.551	85.706	80.983	76.330	116.652	142.306	128.097	90.123	130.082	103.859
23	T	1.6232	5.1560	3.0099	6.0730	4.5751	4.9350	7.7735	4.9315	4.1936	7.0431	5.5494	7.0783	6.1125	68.0541
	S	144.076	102.749	59.350	102.727	97.315	85.383	81.571	74.936	116.249	142.306	127.901	90.160	130.284	103.894
24	T	1.6253	5.1997	3.0114	6.0585	4.6306	4.8955	7.8858	4.8563	4.1783	7.0193	5.6069	7.2284	6.1763	68.3723
	S	143.890	101.885	59.320	102.973	96.149	86.072	80.409	76.096	116.674	142.788	126.589	88.288	128.939	103.410
25	T	1.6292	5.1566	3.0512	6.0793	4.6324	4.9546	7.8269	4.8723	4.1739	7.0162	5.6584	7.2329	6.1327	68.4166
	S	143.545	102.737	58.546	102.621	96.112	85.045	81.014	75.846	116.797	142.851	125.437	88.233	129.855	103.343
26	T	1.6204	5.2568	3.0761	6.1112	4.7137	5.0185	7.8559	4.9186	4.1701	7.0075	5.5829	7.1510	6.0877	68.5704
	S	144.325	100.779	58.072	102.085	94.454	83.962	80.715	75.132	116.904	143.029	127.133	89.244	130.815	103.112
27	T	1.5952	5.4612	3.3986	6.1916	4.7704	5.0156	7.8313	4.8704	4.1754	7.0229	5.5975	7.1011	6.1270	69.1582
	S	146.605	97.007	52.562	100.760	93.331	84.011	80.969	75.876	116.755	142.715	126.802	89.871	129.976	102.235
28	T	1.6144	5.0692	3.1278	6.1317	4.6593	4.9644	7.9593	4.8617	4.1480	6.9566	5.7854	7.2640	6.1469	68.6887
	S	144.861	104.508	57.112	101.744	95.557	84.877	79.667	76.012	117.527	144.075	122.683	87.855	129.555	102.934
29	T	1.6190	5.1467	3.0519	6.0786	4.7586	4.9706	7.8631	4.9676	4.2279	7.1036	5.6918	7.1227	6.1655	68.7676
	S	144.449	102.934	58.533	102.633	93.563	84.771	80.641	74.391	115.305	141.094	124.701	89.598	129.164	102.816
30	T	1.6379	5.1797	2.9824	6.0632	4.6624	4.9601	7.8481	4.9117	4.2424	7.2022	5.7537	7.1550	6.2956	68.8944
	S	142.783	102.279	59.897	102.893	95.493	84.951	80.795	75.238	114.911	139.162	123.359	89.194	126.495	102.627
31	T	1.7242	6.0604	3.0893	6.9446	5.7519	5.7701	9.2623							
	S	135.636	87.415	57.824	89.834	77.405	73.025	68.459							

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.5088	6.7386	3.9576	6.5348	5.1667	5.3293	8.3752	5.2487	4.2316	7.0945	6.7212	7.6236	6.3433	75.8739	124.9501
	S	93.217	78.618	45.138	95.468	86.172	79.065	75.711	70.407	115.205	141.275	105.602	83.711	125.544	93.186	55.375
2	T	1.6810	5.5898	3.6779	6.2806	4.8646	5.1549	8.2029	5.0333	4.2157	7.0595	5.9319	7.3508	6.2876	71.3305	
	S	139.122	94.775	48.570	99.332	91.524	81.740	77.301	73.420	115.639	141.975	119.654	86.818	126.656	99.122	
3	T	1.6658	5.7358	3.4600	6.2830	4.7698	5.0965	8.1505	4.9679	4.2037	7.0619	5.9910	7.3068	6.1810	70.8737	
	S	140.391	92.362	51.629	99.294	93.343	82.677	77.798	74.387	115.969	141.927	118.473	87.341	128.841	99.761	
4	T	1.6263	5.6610	3.2208	6.2704	5.0832	5.1158	8.0354	4.9805	4.1819	7.0589	6.3597	7.4862	6.1865	71.2666	
	S	143.801	93.583	55.463	99.493	87.588	82.365	78.912	74.198	116.574	141.987	111.605	85.248	128.726	99.211	
5	T	1.6256	5.3676	3.1514	6.1753	4.6513	5.1543	8.0435	5.0833	4.2274	7.0950	5.9310	7.4212	6.2183	70.1452	
	S	143.863	98.698	56.685	101.026	95.721	81.750	78.833	72.698	115.319	141.265	119.672	85.994	128.068	100.797	
6	T	1.6382	5.2045	3.1431	6.1350	4.7246	4.9668	8.0650	4.9539	4.2134	7.0647	5.8895	7.1813	6.1387	69.3187	
	S	142.756	101.791	56.834	101.689	94.236	84.836	78.623	74.597	115.702	141.871	120.515	88.867	129.728	101.998	
7	T	1.6148	5.5272	3.4198	6.2773	4.6612	4.9470	7.9419	4.9512	4.2249	7.1900	5.9806	7.2154	6.2323	70.1836	
	S	144.825	95.848	52.236	99.384	95.518	85.176	79.841	74.638	115.387	139.398	118.679	88.447	127.780	100.741	
8	T	1.6638	5.2104	3.1240	6.1514	4.6199	4.9348	7.8561	5.0062	4.2306	7.2017	5.9616	7.2899	6.2544	69.5048	
	S	140.560	101.676	57.182	101.418	96.372	85.386	80.713	73.818	115.232	139.172	119.057	87.543	127.329	101.725	
9	T	1.6678	5.2710	3.0638	6.1138	4.5670	4.8904	7.9442	4.9505	4.2118	7.1755	5.8695	7.2707	6.2714	69.2674	
	S	140.223	100.507	58.305	102.042	97.488	86.161	79.818	74.648	115.746	139.680	120.926	87.774	126.983	102.074	
10	T	1.6708	5.2065	3.0502	6.1321	4.5340	4.8693	7.9197	4.8538	4.2234	7.2015	5.8132	7.2222	6.2827	68.9794	
	S	139.971	101.752	58.565	101.737	98.197	86.535	80.065	76.135	115.428	139.176	122.097	88.364	126.755	102.500	
11	T	1.6665	5.1300	3.0575	6.1189	4.6176	4.9135	7.8491	4.8897	4.2302	7.1837	5.8368	7.2570	6.2540	69.0045	
	S	140.332	103.270	58.426	101.957	96.420	85.756	80.785	75.576	115.243	139.520	121.603	87.940	127.337	102.463	
12	T	1.6640	5.0739	3.0971	6.1457	4.5545	4.9767	7.9360	4.8565	4.2240	7.1658	5.8611	7.1864	6.2427	68.9844	
	S	140.543	104.411	57.679	101.512	97.755	84.667	79.901	76.093	115.412	139.869	121.099	88.804	127.567	102.493	
13	T	1.6670	5.1115	3.1339	6.1785	4.5605	4.9420	7.8842	4.8832	4.2482	7.2015	5.8379	7.2970	6.2731	69.2185	
	S	140.290	103.643	57.001	100.973	97.627	85.262	80.426	75.677	114.754	139.176	121.580	87.458	126.949	102.146	
14	T	1.6702	5.0868	3.1077	6.1407	4.6185	4.9991	7.8723	4.9713	4.2851	7.2474	5.8747	7.2596	6.2502	69.3836	
	S	140.021	104.147	57.482	101.595	96.401	84.288	80.547	74.336	113.766	138.294	120.819	87.909	127.414	101.903	
15	T	1.6639	5.1249	3.1498	6.2090	4.6418	4.9252	7.9211	4.9327	4.2632	7.2255	5.8076	7.2700	6.2444	69.3791	
	S	140.551	103.372	56.714	100.477	95.917	85.553	80.051	74.917	114.351	138.713	122.214	87.783	127.532	101.910	
16	T	1.6685	5.0965	3.1020	6.1553	4.5146	4.9224	7.9235	4.9900	4.2314	7.2057	5.8174	7.2148	6.2493	69.0914	
	S	140.164	103.948	57.587	101.354	98.619	85.601	80.027	74.057	115.210	139.094	122.009	88.455	127.432	102.334	
17	T	1.6643	5.1520	3.1438	6.1544	4.6443	4.9323	7.9239	4.8579	4.2269	7.2053	5.7834	7.1958	6.2346	69.1189	
	S	140.518	102.829	56.822	101.369	95.865	85.429	80.023	76.071	115.333	139.102	122.726	88.688	127.733	102.293	
18	T	1.6622	5.0678	3.1028	6.1428	4.5890	4.9268	7.8507	4.9537	4.2111	7.1754	5.8083	7.2546	6.2589	69.0041	
	S	140.695	104.537	57.573	101.560	97.021	85.525	80.769	74.600	115.765	139.682	122.200	87.969	127.237	102.463	
19	T	1.6667	5.0795	3.0894	6.1345	4.6288	4.9086	7.9617	4.8857	4.2056	7.1619	5.8326	7.4597	6.4002	69.4149	
	S	140.315	104.296	57.822	101.698	96.186	85.842	79.643	75.638	115.917	139.945	121.691	85.551	124.428	101.857	



Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 51 - Abel, Jacob (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6793	5.1978	3.1308	6.1520	4.6475	4.8807	7.9624	4.9448	4.2177	7.1885	5.7911	7.2379	6.2660	69.2965
	S	139.263	101.922	57.058	101.408	95.799	86.333	79.636	74.734	115.584	139.427	122.563	88.172	127.093	102.031
21	T	1.6652	5.0922	3.1305	6.1273	4.5855	4.8509	7.8864	4.9353	4.2151	7.1806	5.8014	7.2320	6.2244	68.9268
	S	140.442	104.036	57.063	101.817	97.095	86.863	80.403	74.878	115.656	139.581	122.345	88.244	127.942	102.578
22	T	1.6621	5.1226	3.1000	6.1257	4.5904	4.8843	7.9295	4.8709	4.1968	7.1655	5.7966	7.2907	6.2273	68.9624
	S	140.704	103.419	57.625	101.844	96.991	86.269	79.966	75.868	116.160	139.875	122.446	87.534	127.883	102.525
23	T	1.6684	5.1014	3.1032	6.1206	4.5967	4.8438	7.8477	4.8708	4.2093	7.1704	5.7755	7.1981	6.2211	68.7270
	S	140.172	103.848	57.565	101.929	96.858	86.990	80.800	75.870	115.815	139.779	122.894	88.660	128.010	102.877
24	T	1.6633	5.0610	3.1118	6.1310	4.5304	4.8541	7.9530	4.8626	4.1955	7.1774	5.8398	7.2532	6.2279	68.8610
	S	140.602	104.677	57.406	101.756	98.275	86.806	79.730	75.998	116.196	139.643	121.541	87.986	127.870	102.676
25	T	1.6646	5.0904	3.1119	6.1389	4.5795	4.8687	7.9317	4.8749	4.1934	7.1697	5.8447	7.2190	6.2441	68.9315
	S	140.492	104.073	57.404	101.625	97.222	86.545	79.944	75.806	116.254	139.793	121.439	88.403	127.539	102.571
26	T	1.6658	5.0863	3.0893	6.1193	4.5498	4.9200	7.9127	4.9239	4.2151	7.1668	5.8346	7.2162	6.2479	68.9477
	S	140.391	104.157	57.824	101.950	97.856	85.643	80.136	75.051	115.656	139.849	121.649	88.437	127.461	102.547
27	T	1.6615	5.0962	3.1275	6.1632	4.6000	4.8861	8.0121	5.0094	4.2307	7.1952	5.8265	7.1940	6.2509	69.2533
	S	140.755	103.954	57.118	101.224	96.789	86.237	79.142	73.770	115.229	139.297	121.818	88.710	127.400	102.095
28	T	1.6625	5.1116	3.0431	6.0956	4.6021	4.8591	7.9709	4.9762	4.1952	7.1773	5.8459	7.1606	6.2257	68.9258
	S	140.670	103.641	58.702	102.347	96.744	86.716	79.551	74.263	116.204	139.645	121.414	89.124	127.916	102.580
29	T	1.6632	5.0557	3.1375	6.1583	4.5771	4.8349	8.0477	4.9535	4.2185	7.2050	5.8413	7.2611	6.2669	69.2207
	S	140.611	104.787	56.936	101.305	97.273	87.150	78.792	74.603	115.562	139.108	121.509	87.891	127.075	102.143
30	T	1.6657	5.2043	3.0813	6.0840	4.6040	4.9104	7.8638	4.9423	4.2192	7.2036	5.9051	7.3589	6.2440	69.2866
	S	140.400	101.795	57.974	102.542	96.704	85.810	80.634	74.772	115.543	139.135	120.197	86.722	127.541	102.046
31	T	1.6728	5.8173	3.3183	6.5566										
	S	139.804	91.068	53.834	95.150										

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.4545	6.5842	4.2421	6.4409	5.0302	5.3298	8.2010	5.5683	4.3433	7.1435	6.2966	7.6438	6.2939	75.5721	119.4126
	S	95.280	80.461	42.110	96.860	88.511	79.058	77.319	66.366	112.242	140.306	112.723	83.490	126.529	93.558	57.943
2	T	1.6593	5.5182	3.4466	6.3717	4.9741	5.2719	8.2725	5.1489	4.2983	7.2116	5.6936	7.5933	6.4072	71.8672	
	S	140.941	96.005	51.830	97.912	89.509	79.926	76.650	71.772	113.417	138.981	124.662	84.045	124.292	98.381	
3	T	1.6763	5.3444	3.2594	6.2357	4.8919	5.1452	8.2058	5.1398	4.2708	7.1902	5.6149	8.5271	6.3008	71.8023	
	S	139.512	99.127	54.807	100.047	91.013	81.895	77.274	71.899	114.147	139.394	126.409	74.842	126.391	98.470	
4	T	1.6382	5.4853	3.3084	6.4302	4.8360	5.0240	8.0314	5.0126	4.2516	7.1605	5.7886	7.6357	6.3484	70.9509	
	S	142.756	96.580	53.995	97.021	92.065	83.870	78.951	73.723	114.663	139.972	122.616	83.579	125.443	99.652	
5	T	1.6599	5.2739	3.1132	6.1781	4.7797	5.0127	8.0227	5.0111	4.2631	7.1843	5.6634	7.5128	6.3056	69.9805	
	S	140.890	100.452	57.380	100.980	93.150	84.059	79.037	73.745	114.353	139.509	125.326	84.946	126.295	101.034	
6	T	1.6578	5.3350	3.0602	6.1277	4.8016	5.0604	7.9349	5.0028	4.2434	7.1438	5.6396	7.4591	6.2899	69.7562	
	S	141.069	99.301	58.374	101.810	92.725	83.267	79.912	73.868	114.884	140.300	125.855	85.557	126.610	101.359	
7	T	1.6569	5.3112	3.1101	6.1989	4.8111	5.0833	8.0991	5.0703	4.2690	7.1761	5.7077	7.3716	6.2381	70.1034	
	S	141.145	99.746	57.437	100.641	92.542	82.892	78.292	72.884	114.195	139.668	124.354	86.573	127.661	100.857	
8	T	1.6466	5.4731	3.2665	6.2197	4.9086	5.1636	8.0794	4.9972	4.2347	7.1063	5.7132	7.4979	6.2607	70.5675	
	S	142.028	96.796	54.687	100.304	90.704	81.603	78.482	73.951	115.120	141.040	124.234	85.115	127.200	100.193	
9	T	1.6543	5.2998	2.9926	6.1198	4.7336	5.0404	7.9814	5.0351	4.2713	7.2029	5.7474	7.3896	6.3158	69.7840	
	S	141.367	99.961	59.693	101.942	94.057	83.597	79.446	73.394	114.134	139.148	123.495	86.362	126.091	101.318	
10	T	1.6727	5.3216	3.0755	6.1402	4.7298	4.9829	7.9104	5.1021	4.2588	7.1808	5.5899	7.3379	6.2980	69.6006	
	S	139.812	99.551	58.084	101.603	94.132	84.562	80.159	72.430	114.469	139.577	126.974	86.971	126.447	101.585	
11	T	1.6653	5.2491	3.0291	6.1652	4.7119	4.9572	7.8608	4.9641	4.2415	7.1680	5.6385	7.3021	6.2976	69.2504	
	S	140.433	100.926	58.973	101.191	94.490	85.000	80.665	74.444	114.936	139.826	125.880	87.397	126.455	102.099	
12	T	1.6638	5.2652	3.0595	6.1153	4.7507	4.9984	7.9368	4.9471	4.2401	7.1160	5.7126	7.4319	6.2937	69.5311	
	S	140.560	100.618	58.387	102.017	93.718	84.300	79.893	74.699	114.974	140.848	124.247	85.871	126.533	101.687	
13	T	1.6590	5.3004	2.9978	6.1296	4.7250	5.0484	7.8913	5.0338	4.2400	7.1545	5.5980	7.3359	6.2663	69.3800	
	S	140.967	99.950	59.589	101.779	94.228	83.465	80.353	73.413	114.976	140.090	126.790	86.994	127.087	101.908	
14	T	1.6438	5.3374	3.0696	6.1351	4.8028	4.9677	8.1864	5.0470	4.2402	7.1495	5.6646	7.5011	6.3081	70.0533	
	S	142.270	99.257	58.195	101.688	92.702	84.821	77.457	73.221	114.971	140.188	125.300	85.078	126.245	100.929	
15	T	1.6544	5.2811	3.0441	6.1334	4.7318	4.9738	8.0493	4.9745	4.2393	7.1564	5.6857	7.3646	6.2387	69.5271	
	S	141.359	100.315	58.683	101.716	94.093	84.717	78.776	74.288	114.995	140.053	124.835	86.655	127.649	101.693	
16	T	1.6540	5.3013	3.0724	6.2093	4.7508	5.0192	7.9280	4.9128	4.2414	7.1521	5.5891	7.3785	6.2835	69.4924	
	S	141.393	99.933	58.142	100.472	93.716	83.950	79.981	75.221	114.938	140.137	126.992	86.492	126.739	101.744	
17	T	1.6657	5.3402	2.9850	6.1266	4.7694	4.9840	8.0825	4.9155	4.2423	7.1534	5.6763	7.2886	6.2533	69.4828	
	S	140.400	99.205	59.845	101.829	93.351	84.543	78.452	75.180	114.914	140.111	125.041	87.559	127.351	101.758	
18	T	1.6517	5.2823	3.0479	6.1595	4.8213	5.0935	7.9256	4.9905	4.2234	7.1265	5.6451	7.4061	6.2344	69.6078	
	S	141.590	100.292	58.610	101.285	92.346	82.726	80.005	74.050	115.428	140.640	125.733	86.170	127.737	101.575	
19	T	1.6388	5.3401	3.0033	6.1094	4.8370	5.0882	7.9209	5.0396	4.2192	7.1139	5.6766	7.4603	6.2565	69.7038	
	S	142.704	99.207	59.480	102.115	92.046	82.812	80.053	73.328	115.543	140.889	125.035	85.544	127.286	101.435	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 6 - de la Vara, Moises

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6434	5.4113	3.0540	6.0928	4.8225	5.0887	8.0286	4.9258	4.2172	7.1204	5.6300	7.3764	6.2545	69.6656
	S	142.305	97.901	58.493	102.394	92.323	82.804	78.979	75.022	115.598	140.761	126.070	86.517	127.327	101.491
21	T	1.6434	5.2402	3.0664	6.1053	4.7597	4.9946	8.0058	5.1899	4.3047	7.1875	5.7318	7.5805	6.2357	70.0455
	S	142.305	101.098	58.256	102.184	93.541	84.364	79.204	71.205	113.248	139.447	123.831	84.187	127.710	100.940
22	T	1.6557	5.2246	3.0617	6.1195	4.7449	5.0148	8.0145	4.9344	4.2279	7.1146	5.7276	7.3680	6.2082	69.4164
	S	141.248	101.400	58.345	101.947	93.833	84.024	79.118	74.892	115.305	140.875	123.921	86.615	128.276	101.855
23	T	1.6404	5.3169	3.0103	6.0976	4.7802	5.0557	8.0573	4.9980	4.2335	7.1472	5.6925	7.3793	6.2259	69.6348
	S	142.565	99.639	59.342	102.313	93.140	83.344	78.698	73.939	115.153	140.233	124.686	86.483	127.911	101.535
24	T	1.6499	5.3824	3.0930	6.1430	4.7474	5.0003	7.9861	4.9931	4.2227	7.1511	5.6280	7.3324	6.2379	69.5673
	S	141.744	98.427	57.755	101.557	93.783	84.268	79.399	74.011	115.447	140.156	126.115	87.036	127.665	101.634
25	T	1.6526	5.2266	3.0475	6.0972	4.7400	5.0340	8.0487	4.9372	4.2363	7.1524	5.6342	7.4314	6.2651	69.5032
	S	141.513	101.361	58.617	102.320	93.930	83.704	78.782	74.849	115.077	140.131	125.976	85.876	127.111	101.728
26	T	1.6471	5.2792	3.2859	6.1019	4.7243	5.0783	7.9169	4.9725	4.2324	7.1406	5.6391	7.3885	6.2380	69.6447
	S	141.985	100.351	54.365	102.241	94.242	82.973	80.093	74.318	115.183	140.363	125.866	86.375	127.663	101.521
27	T	1.6420	5.2889	3.0277	6.1103	4.8354	5.0945	8.0306	5.0219	4.2054	7.1149	5.7905	7.4195	6.2087	69.7903
	S	142.426	100.167	59.001	102.100	92.077	82.710	78.959	73.587	115.922	140.870	122.575	86.014	128.266	101.309
28	T	1.6290	5.2191	3.1943	6.2233	4.7086	5.0038	7.9898	4.9263	4.2428	7.2276	5.6672	7.3984	6.2900	69.7202
	S	143.563	101.507	55.923	100.246	94.556	84.209	79.363	75.015	114.901	138.673	125.242	86.259	126.608	101.411
29	T	1.6765	5.2948	3.0243	6.0886	4.5970	4.9769	8.0557	4.9162	4.2539	7.2456	5.7255	7.3637	6.2678	69.4865
	S	139.495	100.055	59.067	102.464	96.852	84.664	78.713	75.169	114.601	138.328	123.967	86.666	127.056	101.752
30	T	1.6684	5.3648	3.0270	6.1744	4.7142	4.9926	7.9662	4.9757	4.2528	7.2546	5.7259	7.3147	6.2828	69.7141
	S	140.172	98.750	59.014	101.040	94.444	84.398	79.598	74.270	114.630	138.157	123.958	87.246	126.753	101.420
31	T	1.6761	5.7933												
	S	139.528	91.446												

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.4536	6.6471	3.7488	6.3547	5.1438	5.2644	8.2748	5.6667	4.3739	7.2409	5.8677	7.5443	6.2969	74.8776	127.6804
	S	95.314	79.700	47.652	98.174	86.556	80.040	76.629	65.214	111.457	138.418	120.963	84.591	126.469	94.426	54.191
2	T	1.6491	5.3291	3.1669	6.1834	4.8761	5.1606	8.0627	5.1783	4.2205	7.1136	6.0636	7.3510	6.2056	70.5605	
	S	141.813	99.411	56.407	100.893	91.308	81.650	78.645	71.364	115.508	140.895	117.055	86.816	128.330	100.203	
3	T	1.6422	5.2586	3.0926	6.1303	4.5730	5.0898	7.9251	5.0455	4.2078	7.0577	5.7451	7.5517	6.3257	69.6451	
	S	142.409	100.744	57.763	101.767	97.360	82.786	80.010	73.243	115.856	142.011	123.544	84.508	125.893	101.520	
4	T	1.6527	5.2976	3.1084	6.1370	4.6149	5.0263	7.9288	5.1299	4.2198	7.0613	5.6241	7.1883	6.1974	69.1865	
	S	141.504	100.002	57.469	101.656	96.476	83.832	79.973	72.038	115.527	141.939	126.202	88.781	128.500	102.193	
5	T	1.6286	5.2749	3.0478	6.0940	4.6291	4.9980	7.9285	4.9409	4.1943	7.0417	5.7031	7.3313	6.1814	68.9936	
	S	143.598	100.433	58.612	102.373	96.180	84.306	79.976	74.793	116.229	142.334	124.454	87.049	128.832	102.479	
6	T	1.6225	5.2086	3.0643	6.1515	4.6583	4.9888	8.0677	5.0784	4.2294	7.0755	5.6398	7.2406	6.1798	69.2052	
	S	144.138	101.711	58.296	101.417	95.577	84.462	78.596	72.768	115.265	141.654	125.851	88.139	128.866	102.166	
7	T	1.6300	5.1980	3.0662	6.1242	4.6411	4.9698	8.0572	4.9821	4.2674	7.1169	5.6782	7.2607	6.1738	69.1656	
	S	143.475	101.919	58.260	101.869	95.931	84.785	78.699	74.175	114.238	140.830	125.000	87.895	128.991	102.224	
8	T	1.6371	5.1681	3.1368	6.1516	4.6503	5.0005	7.9350	4.9439	4.2125	7.0714	5.6417	7.2280	6.1661	68.9430	
	S	142.852	102.508	56.949	101.415	95.742	84.264	79.911	74.748	115.727	141.736	125.808	88.293	129.152	102.554	
9	T	1.6353	5.2168	3.0518	6.0929	4.6373	5.0062	7.8425	4.9600	4.2080	7.0517	5.6092	7.2233	6.1968	68.7318	
	S	143.010	101.551	58.535	102.392	96.010	84.168	80.853	74.505	115.851	142.132	126.537	88.350	128.512	102.869	
10	T	1.6421	5.2618	3.0655	6.0931	4.5643	5.0382	7.8663	4.9402	4.2057	7.0523	5.5373	7.3535	6.2350	68.8553	
	S	142.417	100.683	58.273	102.389	97.546	83.634	80.609	74.804	115.914	142.120	128.180	86.786	127.725	102.685	
11	T	1.6454	5.1113	3.0638	6.1464	4.5222	5.0023	7.8284	4.9101	4.2014	7.0270	5.6475	7.3438	6.1895	68.6391	
	S	142.132	103.647	58.305	101.501	98.454	84.234	80.999	75.262	116.033	142.632	125.679	86.901	128.664	103.008	
12	T	1.6323	5.1615	3.0341	6.0965	4.6135	5.0262	7.8300	4.9582	4.2172	7.0775	5.5839	7.1838	6.1835	68.5982	
	S	143.272	102.639	58.876	102.331	96.505	83.833	80.982	74.532	115.598	141.614	127.111	88.836	128.788	103.070	
13	T	1.6393	5.2026	3.0507	6.0970	4.6595	5.0147	7.9366	4.9847	4.2398	7.1060	5.5766	7.3264	6.2378	69.0717	
	S	142.661	101.828	58.556	102.323	95.553	84.026	79.895	74.136	114.982	141.046	127.277	87.107	127.667	102.363	
14	T	1.6468	5.2351	3.0050	6.0816	4.6469	5.0130	7.9624	5.0231	4.4085	7.2190	6.0248	7.3035	6.2266	69.7963	
	S	142.011	101.196	59.446	102.582	95.812	84.054	79.636	73.569	110.582	138.838	117.809	87.380	127.897	101.300	
15	T	1.6369	5.2560	3.0369	6.1077	4.6394	5.0548	7.8834	5.0240	4.2791	7.1209	5.6567	7.2413	6.1702	69.1073	
	S	142.870	100.794	58.822	102.144	95.967	83.359	80.434	73.556	113.926	140.751	125.475	88.131	129.066	102.310	
16	T	1.6322	5.2403	3.0323	6.1007	4.6249	4.9811	7.8468	5.1549	4.2080	7.0746	5.5858	7.1718	6.1663	68.8197	
	S	143.281	101.096	58.911	102.261	96.267	84.592	80.809	71.688	115.851	141.672	127.067	88.985	129.148	102.738	
17	T	1.6342	5.1566	3.0057	6.1046	4.6285	4.9887	7.7916	4.9478	4.2306	7.0943	5.5468	7.1832	6.1836	68.4962	
	S	143.106	102.737	59.433	102.196	96.193	84.464	81.381	74.689	115.232	141.279	127.961	88.844	128.786	103.223	
18	T	1.6365	5.1346	2.9766	6.0700	4.5108	4.9797	7.7583	5.0311	4.2205	7.0732	5.6123	7.1533	6.1597	68.3166	
	S	142.905	103.177	60.014	102.778	98.703	84.616	81.731	73.452	115.508	141.700	126.467	89.215	129.286	103.495	
19	T	1.6303	5.1957	3.0077	6.0656	4.5426	4.9924	7.9030	4.9932	4.2217	7.0725	5.5537	7.2281	6.2395	68.6460	
	S	143.448	101.964	59.393	102.853	98.012	84.401	80.234	74.010	115.475	141.714	127.802	88.292	127.633	102.998	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 68 - Frost, Danial (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6430	5.1800	3.0091	6.1009	4.5959	4.9955	7.8089	4.9737	4.2363	7.0741	5.5349	7.2222	6.2105	68.5850
	S	142.339	102.273	59.365	102.258	96.875	84.349	81.201	74.300	115.077	141.682	128.236	88.364	128.229	103.090
21	T	1.6407	5.1998	3.0370	6.0499	4.5916	4.9768	7.8553	5.0227	4.2081	7.0732	5.6005	7.1594	6.1786	68.5936
	S	142.539	101.883	58.820	103.120	96.966	84.666	80.721	73.575	115.848	141.700	126.734	89.139	128.891	103.077
22	T	1.6372	5.1796	3.0361	6.0904	4.5679	4.9658	7.8235	4.9694	4.2328	7.0666	5.5436	7.2526	6.1985	68.5640
	S	142.844	102.281	58.837	102.434	97.469	84.853	81.050	74.364	115.172	141.832	128.035	87.994	128.477	103.121
23	T	1.6430	5.1168	3.0520	6.1296	4.5133	4.9554	7.8339	4.9683	4.2187	7.0680	5.5189	7.1072	6.1516	68.2767
	S	142.339	103.536	58.531	101.779	98.648	85.031	80.942	74.381	115.557	141.804	128.608	89.794	129.456	103.555
24	T	1.6348	5.1572	2.9821	6.0430	4.4418	4.9292	7.7915	4.9909	4.2169	7.0862	5.5355	7.1292	6.1691	68.1074
	S	143.053	102.725	59.903	103.237	100.236	85.483	81.382	74.044	115.606	141.440	128.222	89.517	129.089	103.813
25	T	1.6386	5.1768	3.1304	6.3857	4.5919	4.9712	7.8269	4.9948	4.1982	7.0839	5.5517	7.2359	6.2112	68.9972
	S	142.722	102.336	57.065	97.697	96.959	84.761	81.014	73.986	116.121	141.486	127.848	88.197	128.214	102.474
26	T	1.6455	5.1252	3.0185	6.1040	4.5200	4.9884	7.8142	4.9255	4.2210	7.0870	5.4965	7.1847	6.1910	68.3215
	S	142.123	103.366	59.181	102.206	98.502	84.469	81.146	75.027	115.494	141.424	129.132	88.825	128.632	103.487
27	T	1.6334	5.1446	2.9698	6.0752	4.6320	4.9635	7.7930	4.9016	4.2133	7.0850	5.5099	7.1995	6.1880	68.3088
	S	143.176	102.976	60.151	102.690	96.120	84.892	81.367	75.393	115.705	141.464	128.818	88.643	128.695	103.506
28	T	1.6347	5.1704	3.0062	6.0900	4.5246	4.9979	7.7476	4.9526	4.2147	7.0813	5.5994	7.2356	6.1865	68.4415
	S	143.062	102.463	59.423	102.441	98.401	84.308	81.844	74.616	115.667	141.538	126.759	88.200	128.726	103.306
29	T	1.6393	5.1467	3.0047	6.0878	4.4904	4.9762	7.8232	5.0554	4.2393	7.1001	5.5379	7.1484	6.1640	68.4134
	S	142.661	102.934	59.452	102.478	99.151	84.676	81.053	73.099	114.995	141.163	128.166	89.276	129.196	103.348
30	T	1.6324	5.1187	3.0161	6.0929	4.5581	4.9925	7.7645	4.9461	4.3063	7.1642	5.4744	7.1210	6.1700	68.3572
	S	143.264	103.498	59.228	102.392	97.678	84.399	81.665	74.715	113.206	139.900	129.653	89.620	129.070	103.433
31	T	1.6973	6.2832	3.3758	6.8178	5.6590	6.3811	9.5894							
	S	137.786	84.316	52.917	91.505	78.676	66.033	66.124							

**Event:** Cooper Tires Indy Pro 2000 Portland GP**Round 13 / 14****Track:** Portland International Raceway**1.964 mile(s)****Report:** Section Data Report**Indy Pro 2000 Championship****Session:** Race 2**September 1, 2019****Section Data for Car 7 - Enders, Kory (R)**

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.5042	6.4876	3.4099	12.0555	5.0085	5.0683	8.3176	5.1510	4.2884	7.1389	6.2889	7.5696	6.2347	77.0705	121.4310
	S	93.389	81.659	52.388	51.749	88.894	83.137	76.235	71.742	113.679	140.396	112.861	84.309	127.731	91.739	56.980
2	T	1.6632	5.4857	3.2161	6.2168	4.7820	5.0173	8.2743	5.1343	4.2331	7.0904	6.0977	7.6552	6.3407	71.2068	
	S	140.611	96.573	55.544	100.351	93.105	83.982	76.634	71.976	115.164	141.356	116.400	83.366	125.596	99.294	
3	T	1.6527	5.3955	3.1506	6.2153	4.8226	5.1172	7.9674	5.1854	4.2455	7.0633	5.8709	7.5424	6.3248	70.5536	
	S	141.504	98.188	56.699	100.375	92.321	82.343	79.586	71.267	114.827	141.899	120.897	84.613	125.911	100.213	
4	T	1.6618	5.2018	3.1420	6.1889	4.7774	5.0406	8.1401	4.9901	4.2346	7.0966	6.0416	7.4991	6.1809	70.1955	
	S	140.729	101.844	56.854	100.804	93.194	83.594	77.897	74.056	115.123	141.233	117.481	85.101	128.843	100.724	
5	T	1.6234	5.3406	3.1789	6.1829	4.7735	5.0065	8.2003	4.9895	4.2081	7.0521	5.9282	7.4953	6.1939	70.1732	
	S	144.058	99.197	56.194	100.901	93.271	84.163	77.325	74.065	115.848	142.124	119.728	85.144	128.572	100.756	
6	T	1.6274	5.2290	3.1554	6.1904	4.6478	5.0077	8.0914	5.0035	4.2308	7.0800	5.8554	7.3359	6.1954	69.6501	
	S	143.704	101.314	56.613	100.779	95.793	84.143	78.366	73.857	115.226	141.564	121.217	86.994	128.541	101.513	
7	T	1.6437	5.3438	3.3857	6.2647	4.9578	5.1656	8.0116	5.0670	4.2357	7.0732	5.7923	7.6316	6.2789	70.8516	
	S	142.279	99.138	52.762	99.584	89.803	81.571	79.147	72.932	115.093	141.700	122.537	83.624	126.832	99.792	
8	T	1.6659	5.5674	3.3568	6.2564	4.7955	4.9999	7.9808	5.1045	4.2167	7.0903	5.6961	7.4074	6.1878	70.3255	
	S	140.383	95.156	53.216	99.716	92.843	84.274	79.452	72.396	115.612	141.358	124.607	86.155	128.699	100.538	
9	T	1.6404	5.2656	2.9986	6.0970	4.7308	5.0192	8.0070	4.9109	4.2340	7.1215	5.6436	7.3734	6.2184	69.2604	
	S	142.565	100.610	59.573	102.323	94.112	83.950	79.192	75.250	115.139	140.739	125.766	86.552	128.066	102.084	
10	T	1.6502	5.2295	3.0747	6.1497	4.6535	4.9722	7.8868	5.0710	4.2219	7.0604	5.7276	7.4342	6.2104	69.3421	
	S	141.718	101.305	58.099	101.446	95.676	84.744	80.399	72.874	115.469	141.957	123.921	85.844	128.231	101.964	
11	T	1.6371	5.3023	3.0332	6.1410	4.6841	5.0375	7.9629	4.8911	4.2263	7.0680	5.5796	7.2349	6.2144	69.0124	
	S	142.852	99.914	58.894	101.590	95.051	83.645	79.631	75.555	115.349	141.804	127.209	88.209	128.148	102.451	
12	T	1.6632	5.5098	3.2922	6.2699	4.6733	4.9128	7.9526	4.9927	4.2832	7.1895	5.6227	7.4022	6.3021	70.0662	
	S	140.611	96.151	54.260	99.501	95.270	85.769	79.734	74.017	113.817	139.408	126.233	86.215	126.365	100.910	
13	T	1.6667	5.2288	3.0328	6.1487	4.6579	4.9601	7.9597	4.9039	4.2487	7.1855	5.6538	7.3809	6.2522	69.2797	
	S	140.315	101.318	58.901	101.463	95.585	84.951	79.663	75.357	114.741	139.485	125.539	86.464	127.373	102.056	
14	T	1.6569	5.2742	3.0012	6.1497	4.6102	4.9307	8.0264	4.8622	4.2551	7.1903	5.6538	7.4027	6.2278	69.2412	
	S	141.145	100.446	59.522	101.446	96.574	85.457	79.001	76.004	114.568	139.392	125.539	86.209	127.872	102.113	
15	T	1.6494	5.2243	2.9876	6.1404	4.5576	4.9366	7.9456	5.0366	4.2548	7.1831	5.5927	7.2425	6.2219	68.9731	
	S	141.787	101.405	59.793	101.600	97.689	85.355	79.804	73.372	114.576	139.532	126.911	88.116	127.994	102.510	
16	T	1.6589	5.1593	3.0064	6.1632	4.5925	4.8569	8.0372	4.9267	4.2577	7.1670	5.6065	7.2946	6.2646	68.9915	
	S	140.975	102.683	59.419	101.224	96.947	86.756	78.895	75.009	114.498	139.846	126.598	87.487	127.121	102.482	
17	T	1.6564	5.1827	3.0088	6.1404	4.5920	5.0048	7.9959	4.8976	4.2319	7.1620	5.6166	7.3759	6.2900	69.1550	
	S	141.188	102.219	59.371	101.600	96.957	84.192	79.302	75.454	115.196	139.943	126.371	86.523	126.608	102.240	
18	T	1.6615	5.1166	2.9609	6.1268	4.6153	4.9315	7.8643	4.9717	4.2724	7.1915	5.6265	7.3557	6.2748	68.9695	
	S	140.755	103.540	60.332	101.825	96.468	85.443	80.629	74.330	114.104	139.369	126.148	86.760	126.915	102.515	
19	T	1.6591	5.1152	3.0476	6.3920	4.6881	4.9637	7.9444	4.9190	4.2490	7.1610	5.6390	7.2697	6.2848	69.3326	
	S	140.958	103.568	58.615	97.601	94.970	84.889	79.816	75.126	114.733	139.963	125.869	87.787	126.713	101.978	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 7 - Enders, Kory (R)

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6605	5.1827	3.0088	6.1381	4.6144	4.9014	7.9336	4.9729	4.2772	7.1827	5.5700	7.2386	6.2455	68.9264
	S	140.839	102.219	59.371	101.638	96.486	85.968	79.925	74.312	113.976	139.540	127.428	88.164	127.510	102.579
21	T	1.6503	5.1749	2.9903	6.1311	4.5821	4.8939	7.9828	4.9056	4.2307	7.1580	5.6058	7.2159	6.2141	68.7355
	S	141.710	102.374	59.739	101.754	97.167	86.100	79.432	75.331	115.229	140.021	126.614	88.441	128.154	102.864
22	T	1.6528	5.1274	3.0062	6.1112	4.5719	4.9314	8.0086	4.9095	4.2348	7.1440	5.6204	7.1922	6.1931	68.7035
	S	141.495	103.322	59.423	102.085	97.383	85.445	79.176	75.272	115.118	140.296	126.285	88.732	128.589	102.912
23	T	1.6413	5.1432	3.0203	6.1203	4.4952	4.8576	8.0638	4.8392	4.2117	7.1193	5.5666	7.1953	6.1872	68.4610
	S	142.487	103.004	59.145	101.934	99.045	86.743	78.634	76.365	115.749	140.782	127.506	88.694	128.711	103.276
24	T	1.6410	5.1346	3.0119	6.1897	4.6884	4.9334	8.0125	5.0507	4.2409	7.1500	5.6232	7.1721	6.2029	69.0513
	S	142.513	103.177	59.310	100.791	94.964	85.410	79.138	73.167	114.952	140.178	126.222	88.981	128.386	102.393
25	T	1.6485	5.1708	3.0281	6.1259	4.6140	4.9495	7.9114	4.8877	4.2256	7.1265	5.5933	7.3504	6.2538	68.8855
	S	141.865	102.455	58.993	101.840	96.495	85.133	80.149	75.607	115.368	140.640	126.897	86.823	127.341	102.640
26	T	1.6469	5.1258	3.0009	6.1280	4.4882	4.9640	7.8643	5.0772	4.2739	7.1284	5.5891	7.2299	6.1912	68.7078
	S	142.002	103.354	59.528	101.805	99.200	84.884	80.629	72.785	114.064	140.603	126.992	88.270	128.628	102.905
27	T	1.6380	5.1263	3.0109	6.1740	4.5966	4.9515	7.8977	5.0771	4.2265	7.1277	5.6396	7.3261	6.2058	68.9978
	S	142.774	103.344	59.330	101.047	96.860	85.098	80.288	72.787	115.344	140.617	125.855	87.111	128.326	102.473
28	T	1.6349	5.1181	3.0554	6.1658	4.6805	5.0849	7.9625	4.8810	4.2133	7.1226	5.5651	7.4136	6.2316	69.1293
	S	143.045	103.510	58.466	101.181	95.124	82.866	79.635	75.711	115.705	140.717	127.540	86.083	127.794	102.278
29	T	1.6438	5.0631	3.0430	6.1251	4.6130	4.9205	7.9086	4.9577	4.2139	7.1191	5.6282	7.3635	6.1667	68.7662
	S	142.270	104.634	58.704	101.854	96.516	85.634	80.177	74.540	115.689	140.786	126.110	86.668	129.139	102.818
30	T	1.6320	5.1543	3.0321	6.1069	4.6148	4.9940	7.8691	4.9779	4.2353	7.0851	5.6713	7.2903	6.1016	68.7647
	S	143.299	102.783	58.915	102.157	96.478	84.374	80.580	74.237	115.104	141.462	125.152	87.538	130.517	102.820
31	T	1.7124	5.9996	3.3228	6.7247										
	S	136.571	88.301	53.761	92.772										



Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.5106	6.3768	3.7273	6.3807	4.9595	5.1960	8.1297	5.1270	4.2583	7.1092	6.0994	7.4384	6.2639	73.5768	128.5526
	S	93.150	83.078	47.926	97.774	89.773	81.094	77.997	72.078	114.482	140.982	116.368	85.796	127.135	96.096	53.823
2	T	1.6587	5.9584	3.4199	6.2399	4.9201	5.1238	8.0096	5.0337	4.2367	7.1054	5.7810	7.4037	6.2511	71.1420	
	S	140.992	88.912	52.234	99.980	90.492	82.237	79.166	73.414	115.066	141.058	122.777	86.198	127.396	99.384	
3	T	1.6500	5.3571	3.2010	6.2105	4.6686	4.9359	7.9176	4.9485	4.2286	7.1090	5.7647	7.3120	6.2128	69.5163	
	S	141.736	98.892	55.806	100.453	95.366	85.367	80.086	74.678	115.286	140.986	123.124	87.279	128.181	101.709	
4	T	1.6346	5.3992	3.1271	6.1512	4.6413	4.9466	8.0013	4.9737	4.2434	7.1014	5.7610	7.2759	6.2132	69.4699	
	S	143.071	98.121	57.125	101.421	95.927	85.182	79.248	74.300	114.884	141.137	123.203	87.712	128.173	101.776	
5	T	1.6346	5.2793	3.0505	6.1309	4.5631	5.0068	7.9608	5.0297	4.2184	7.1125	5.6653	7.2143	6.1926	69.0588	
	S	143.071	100.349	58.560	101.757	97.571	84.158	79.652	73.473	115.565	140.917	125.284	88.461	128.599	102.382	
6	T	1.6359	5.2206	3.0654	6.1221	4.6017	4.9457	7.9340	4.9152	4.2137	7.0942	5.7101	7.2772	6.1988	68.9346	
	S	142.957	101.477	58.275	101.904	96.753	85.198	79.921	75.184	115.694	141.281	124.301	87.696	128.471	102.567	
7	T	1.6368	5.2524	3.0863	6.1627	4.5825	4.9463	7.8511	4.9179	4.2163	7.0904	5.7441	7.2881	6.1951	68.9700	
	S	142.879	100.863	57.880	101.232	97.158	85.188	80.765	75.143	115.623	141.356	123.566	87.565	128.547	102.514	
8	T	1.6389	5.2795	3.0240	6.1257	4.5630	4.9752	7.8328	4.9049	4.2022	7.0770	5.7210	7.2555	6.1813	68.7810	
	S	142.695	100.345	59.073	101.844	97.573	84.693	80.953	75.342	116.011	141.624	124.064	87.958	128.834	102.796	
9	T	1.6395	5.2022	3.0259	6.1446	4.5915	4.9571	7.9109	4.8726	4.2052	7.0707	5.6212	7.2179	6.1950	68.6543	
	S	142.643	101.836	59.036	101.530	96.968	85.002	80.154	75.842	115.928	141.750	126.267	88.417	128.549	102.986	
10	T	1.6409	5.1914	3.0786	6.1284	4.4916	4.9267	7.9763	4.9395	4.2300	7.0964	5.6488	7.2569	6.2123	68.8178	
	S	142.522	102.048	58.025	101.799	99.124	85.527	79.497	74.814	115.248	141.237	125.650	87.941	128.191	102.741	
11	T	1.6435	5.2261	3.0156	6.1044	4.5226	4.9192	7.8781	4.9483	4.2030	7.0792	5.6434	7.2229	6.1925	68.5988	
	S	142.296	101.371	59.237	102.199	98.445	85.657	80.488	74.681	115.989	141.580	125.770	88.355	128.601	103.069	
12	T	1.6376	5.2183	3.0055	6.0991	4.5927	4.9859	7.8010	4.8752	4.1940	7.0656	5.6571	7.2519	6.1955	68.5794	
	S	142.809	101.522	59.436	102.288	96.942	84.511	81.283	75.801	116.237	141.852	125.466	88.002	128.539	103.098	
13	T	1.6398	5.2471	3.0986	6.1312	4.6220	4.9582	7.8718	4.8845	4.2042	7.0811	5.5992	7.2607	6.2211	68.8195	
	S	142.617	100.965	57.651	101.752	96.328	84.983	80.552	75.657	115.955	141.542	126.763	87.895	128.010	102.738	
14	T	1.6456	5.2068	3.0233	6.1084	4.4969	4.9504	7.8514	4.8923	4.2122	7.0927	5.6077	7.2507	6.2040	68.5424	
	S	142.115	101.746	59.087	102.132	99.008	85.117	80.762	75.536	115.735	141.310	126.571	88.017	128.363	103.154	
15	T	1.6390	5.2382	3.0063	6.1037	4.5366	4.9209	7.8683	4.8509	4.1912	7.0745	5.6631	7.2284	6.1919	68.5130	
	S	142.687	101.136	59.421	102.211	98.141	85.627	80.588	76.181	116.315	141.674	125.333	88.288	128.614	103.198	
16	T	1.6372	5.2914	2.9806	6.0999	4.5676	4.9097	7.8164	4.9199	4.1907	7.0987	5.6296	7.1716	6.1755	68.4888	
	S	142.844	100.120	59.933	102.274	97.475	85.823	81.123	75.112	116.329	141.191	126.079	88.987	128.955	103.234	
17	T	1.6371	5.1836	3.1378	6.1634	4.5487	4.9629	7.8120	4.8425	4.1925	7.0885	5.6013	7.1595	6.1770	68.5068	
	S	142.852	102.202	56.930	101.221	97.880	84.903	81.169	76.313	116.279	141.394	126.716	89.138	128.924	103.207	
18	T	1.6369	5.2948	3.0175	6.1239	4.5161	4.9518	7.8195	4.8661	4.1881	7.0612	5.5941	7.2204	6.1801	68.4705	
	S	142.870	100.055	59.200	101.874	98.587	85.093	81.091	75.943	116.401	141.941	126.879	88.386	128.859	103.262	
19	T	1.6303	5.1979	2.9882	6.0751	4.6362	5.0033	7.7969	4.8712	4.1888	7.0596	5.6244	7.1895	6.1831	68.4445	
	S	143.448	101.921	59.781	102.692	96.033	84.217	81.326	75.863	116.382	141.973	126.195	88.766	128.797	103.301	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 8 - Thompson, Parker

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6334	5.1512	3.0328	6.1151	4.5549	4.9396	7.8493	4.8880	4.1874	7.0359	5.6180	7.2333	6.1849	68.4238
	S	143.176	102.845	58.901	102.020	97.747	85.303	80.783	75.603	116.421	142.451	126.339	88.228	128.759	103.332
21	T	1.6309	5.2246	2.9855	6.0695	4.6493	4.9321	7.8841	4.8566	4.1831	7.0557	5.5990	7.2070	6.1825	68.4599
	S	143.395	101.400	59.835	102.787	95.762	85.433	80.427	76.091	116.540	142.051	126.768	88.550	128.809	103.278
22	T	1.6372	5.2051	3.0398	6.0818	4.5359	4.9292	7.7978	4.8910	4.1856	7.0253	5.6010	7.2006	6.1587	68.2890
	S	142.844	101.780	58.766	102.579	98.156	85.483	81.317	75.556	116.471	142.666	126.723	88.629	129.307	103.536
23	T	1.6302	5.1495	3.0580	6.1029	4.6170	4.9671	7.7584	4.8801	4.1827	7.0294	5.5517	7.1608	6.1473	68.2351
	S	143.457	102.878	58.416	102.224	96.432	84.831	81.730	75.725	116.552	142.583	127.848	89.122	129.547	103.618
24	T	1.6235	5.2517	3.0250	6.0884	4.7011	5.0464	7.8861	4.9046	4.1816	7.0414	5.6329	7.1983	6.1395	68.7205
	S	144.049	100.876	59.053	102.468	94.707	83.498	80.406	75.347	116.582	142.340	126.005	88.657	129.711	102.886
25	T	1.6264	5.1507	3.0637	6.1147	4.6131	5.0540	7.7703	4.9160	4.1885	7.0316	5.6333	7.2443	6.1606	68.5672
	S	143.792	102.855	58.307	102.027	96.514	83.372	81.604	75.172	116.390	142.538	125.996	88.094	129.267	103.116
26	T	1.6280	5.3515	3.0840	6.1204	4.6588	4.9550	7.8882	4.9042	4.1810	7.0249	5.5828	7.2713	6.1811	68.8312
	S	143.651	98.995	57.924	101.932	95.567	85.038	80.385	75.353	116.599	142.674	127.136	87.767	128.838	102.721
27	T	1.6289	5.4695	3.2894	6.1703	4.5746	4.8759	7.7524	4.9459	4.1856	7.0400	5.5963	7.2104	6.1562	68.8954
	S	143.572	96.859	54.307	101.108	97.326	86.418	81.793	74.718	116.471	142.368	126.829	88.509	129.360	102.625
28	T	1.6198	5.1529	3.1300	6.1116	4.6854	5.0334	7.7739	5.0351	4.2023	7.0570	5.5525	7.2334	6.1601	68.7474
	S	144.378	102.811	57.072	102.079	95.024	83.714	81.567	73.394	116.008	142.025	127.829	88.227	129.278	102.846
29	T	1.6317	5.2208	3.0799	6.0991	4.6198	5.0093	7.7114	5.0537	4.2083	7.0659	5.5670	7.1935	6.1561	68.6165
	S	143.325	101.473	58.001	102.288	96.374	84.116	82.228	73.124	115.843	141.846	127.496	88.716	129.362	103.042
30	T	1.6227	5.1844	3.0874	6.0795	4.6413	4.9444	7.7830	4.9073	4.1950	7.0540	5.6375	7.1617	6.1432	68.4414
	S	144.120	102.186	57.860	102.618	95.927	85.220	81.471	75.305	116.210	142.086	125.902	89.110	129.633	103.306
31	T	1.6449	5.9549	3.3428	7.4899	5.7364	5.6745	9.1497							
	S	142.175	88.964	53.439	83.294	77.614	74.256	69.302							

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF	
1	T	2.4596	6.7226	4.2349	6.4974	5.0402	5.3144	8.4267	5.3665	4.3139	7.1019	6.3919	7.5683	6.2078	75.6461	123.2037
	S	95.082	78.805	42.182	96.017	88.335	79.287	75.248	68.862	113.007	141.127	111.043	84.323	128.284	93.467	56.160
2	T	1.6450	5.5086	3.5216	6.2714	4.8043	5.1093	8.0946	5.0180	4.2605	7.1129	5.7847	7.6929	6.4588	71.2826	
	S	142.166	96.172	50.726	99.478	92.673	82.470	78.335	73.644	114.423	140.909	122.698	82.957	123.299	99.188	
3	T	1.6790	5.4228	3.4416	6.2971	4.7226	5.0718	8.0926	5.0038	4.2510	7.1201	5.8268	7.4913	6.2873	70.7078	
	S	139.287	97.694	51.905	99.072	94.276	83.080	78.354	73.853	114.679	140.767	121.812	85.190	126.662	99.995	
4	T	1.6470	5.5063	3.3437	6.3295	4.9247	5.0778	7.9726	5.1102	4.2751	7.1719	6.1622	7.4056	6.2637	71.1903	
	S	141.994	96.212	53.425	98.564	90.407	82.982	79.534	72.315	114.032	139.750	115.182	86.176	127.139	99.317	
5	T	1.6479	5.2457	3.1355	6.2091	4.7123	5.0944	8.0476	4.9515	4.2379	7.1261	5.7818	7.4822	6.2679	69.9399	
	S	141.916	100.992	56.972	100.476	94.482	82.711	78.793	74.633	115.033	140.648	122.760	85.293	127.054	101.093	
6	T	1.6510	5.2386	3.1100	6.2095	4.6782	5.0816	8.0470	4.9016	4.2415	7.1454	5.7289	7.3391	6.2385	69.6109	
	S	141.650	101.129	57.439	100.469	95.171	82.919	78.798	75.393	114.936	140.268	123.893	86.956	127.653	101.570	
7	T	1.6453	5.7990	3.5782	6.3170	4.9120	5.0681	7.9744	4.9643	4.2580	7.1188	5.8282	7.3646	6.2069	71.0348	
	S	142.140	91.356	49.924	98.759	90.641	83.140	79.516	74.441	114.490	140.792	121.782	86.655	128.303	99.534	
8	T	1.6335	5.2232	3.1028	6.1887	4.7526	5.1125	7.9403	4.9221	4.2352	7.1233	5.7537	7.3075	6.1916	69.4870	
	S	143.167	101.427	57.573	100.807	93.681	82.418	79.857	75.079	115.107	140.703	123.359	87.332	128.620	101.751	
9	T	1.6357	5.2345	3.1129	6.1809	4.6579	5.0274	7.9296	4.9706	4.2553	7.1291	5.6871	7.2496	6.1989	69.2695	
	S	142.975	101.208	57.386	100.934	95.585	83.813	79.965	74.346	114.563	140.589	124.804	88.030	128.469	102.071	
10	T	1.6383	5.2473	3.1585	6.1806	4.6757	5.0300	7.8733	4.9140	4.2499	7.1354	5.6597	7.3400	6.2397	69.3424	
	S	142.748	100.961	56.557	100.939	95.222	83.770	80.537	75.203	114.709	140.465	125.408	86.946	127.629	101.964	
11	T	1.6428	5.2673	3.0400	6.1404	4.6329	4.9398	8.0873	4.8932	4.2363	7.1084	5.6510	7.5013	6.2997	69.4404	
	S	142.357	100.578	58.762	101.600	96.101	85.300	78.406	75.522	115.077	140.998	125.601	85.076	126.413	101.820	
12	T	1.6527	5.1617	3.0157	6.1554	4.6143	4.9954	7.9044	4.9423	4.2511	7.1220	5.6608	7.2729	6.2346	68.9833	
	S	141.504	102.635	59.235	101.352	96.489	84.350	80.220	74.772	114.676	140.729	125.384	87.748	127.733	102.494	
13	T	1.6517	5.2408	3.0565	6.1663	4.6413	5.0795	7.8799	5.0286	4.2664	7.1607	5.7056	7.3344	6.2449	69.4566	
	S	141.590	101.086	58.445	101.173	95.927	82.954	80.469	73.489	114.265	139.969	124.399	87.012	127.522	101.796	
14	T	1.6520	5.1898	3.1291	6.2162	4.6192	4.9728	7.9271	4.9938	4.3055	7.1756	5.7252	7.2548	6.2167	69.3778	
	S	141.564	102.080	57.089	100.361	96.386	84.734	79.990	74.001	113.227	139.678	123.973	87.967	128.101	101.912	
15	T	1.6452	5.1345	3.0206	6.1689	4.5986	5.0010	7.8409	4.8867	4.2206	7.1168	5.6584	7.2514	6.2155	68.7591	
	S	142.149	103.179	59.139	101.130	96.818	84.256	80.870	75.623	115.505	140.832	125.437	88.008	128.125	102.829	
16	T	1.6414	5.1071	3.0097	6.1716	4.5232	4.9850	7.8802	4.8890	4.2619	7.1310	5.6780	7.2936	6.2177	68.7894	
	S	142.478	103.733	59.354	101.086	98.432	84.526	80.466	75.587	114.386	140.551	125.004	87.499	128.080	102.783	
17	T	1.6349	5.2162	3.0807	6.1834	4.7031	5.0635	7.8989	4.9488	4.2530	7.1118	5.7386	7.2288	6.2095	69.2712	
	S	143.045	101.563	57.986	100.893	94.667	83.216	80.276	74.674	114.625	140.931	123.684	88.283	128.249	102.068	
18	T	1.6395	5.0688	3.0661	6.1510	4.5974	4.9776	7.9271	4.8699	4.2212	7.0938	5.6292	7.3897	6.2753	68.9066	
	S	142.643	104.516	58.262	101.425	96.843	84.652	79.990	75.884	115.488	141.289	126.088	86.361	126.904	102.608	
19	T	1.6401	5.1619	3.1611	6.2086	4.6099	5.0055	7.8238	4.8948	4.2381	7.1166	5.6766	7.3138	6.2267	69.0775	
	S	142.591	102.631	56.511	100.484	96.581	84.180	81.046	75.498	115.028	140.836	125.035	87.257	127.895	102.355	

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car 90 - Lastochkin, Nikita

Lap	T/SF to I1	I1 to I2A	I2A to I2	I2 to I3	I3 to I4	I4 to I5	I5 to I6	I6 to I7	I7 to I8	I8 to I9	I9 to I10	I10 to I11	I11 to SF	Lap	PO to SF
20	T	1.6317	5.1308	3.2099	6.1866	4.6270	5.0469	7.9805	4.8634	4.2210	7.0768	5.6569	7.5647	6.2721	69.4683
	S	143.325	103.253	55.652	100.841	96.224	83.490	79.455	75.985	115.494	141.628	125.470	84.363	126.969	101.779
21	T	1.6389	5.0863	3.1391	6.1351	4.6048	5.0233	7.7970	4.9455	4.2410	7.1060	5.6452	7.4110	6.2224	68.9956
	S	142.695	104.157	56.907	101.688	96.688	83.882	81.325	74.724	114.949	141.046	125.730	86.113	127.983	102.476
22	T	1.6359	5.1393	3.1117	6.1471	4.6094	5.0308	7.8491	4.9223	4.2529	7.0958	5.6145	7.2868	6.1629	68.8585
	S	142.957	103.083	57.408	101.489	96.591	83.757	80.785	75.076	114.628	141.249	126.418	87.581	129.219	102.680
23	T	1.6279	5.0834	3.1915	6.1853	4.6304	4.9573	7.8483	4.8977	4.2327	7.0811	5.5989	7.3871	6.2344	68.9560
	S	143.660	104.216	55.973	100.862	96.153	84.999	80.793	75.453	115.175	141.542	126.770	86.391	127.737	102.535
24	T	1.6378	5.0994	3.0432	6.1432	4.6046	4.9629	7.8673	4.9228	4.2298	7.0759	5.6511	7.3348	6.2061	68.7789
	S	142.791	103.889	58.700	101.554	96.692	84.903	80.598	75.068	115.254	141.646	125.599	87.007	128.319	102.799
25	T	1.6314	5.1412	3.0824	6.1317	4.6082	4.9993	7.7937	4.9867	4.2105	7.0805	5.6479	7.3277	6.2056	68.8468
	S	143.351	103.045	57.954	101.744	96.616	84.285	81.359	74.106	115.782	141.554	125.670	87.092	128.330	102.698
26	T	1.6330	5.1202	3.0707	6.1372	4.6382	5.0003	7.8829	5.0753	4.2698	7.1168	5.7424	7.3474	6.2167	69.2509
	S	143.211	103.467	58.174	101.653	95.991	84.268	80.439	72.813	114.174	140.832	123.602	86.858	128.101	102.098
27	T	1.6361	5.1090	3.0371	6.1383	4.6139	5.0326	7.8712	5.0328	4.2331	7.0879	5.6853	7.3446	6.2113	69.0332
	S	142.940	103.694	58.818	101.635	96.497	83.727	80.558	73.427	115.164	141.406	124.843	86.891	128.212	102.420
28	T	1.6289	5.1316	3.0994	6.1646	4.6060	5.0032	7.8694	4.9188	4.2159	7.0713	5.7067	7.3148	6.2076	68.9382
	S	143.572	103.237	57.636	101.201	96.662	84.219	80.577	75.129	115.634	141.738	124.375	87.245	128.288	102.561
29	T	1.6336	5.1575	3.0512	6.1264	4.6481	5.0476	7.8275	4.9854	4.2261	7.0976	5.7378	7.3250	6.1849	69.0487
	S	143.158	102.719	58.546	101.832	95.787	83.478	81.008	74.126	115.355	141.213	123.701	87.124	128.759	102.397
30	T	1.6252	5.1667	3.1004	6.1031	4.6903	5.0571	7.8473	4.9790	4.2460	7.1024	5.7239	7.4011	6.2001	69.2426
	S	143.898	102.536	57.617	102.221	94.925	83.321	80.804	74.221	114.814	141.117	124.002	86.228	128.444	102.111
31	T	1.6311	5.7473	3.3050	6.6631										
	S	143.378	92.178	54.050	93.630										

Event: Cooper Tires Indy Pro 2000 Portland GP

Round 13 / 14

Track: Portland International Raceway

1.964 mile(s)



Report: Section Data Report

Indy Pro 2000 Championship

Session: Race 2

September 1, 2019

Section Data for Car

Report Support Information

Section Legend	
Name	Length
SF to I1	0.064962 miles
I1 to I2A	0.147159 miles
I2A to I2	0.049621 miles
I2 to I3	0.173295 miles
I3 to I4	0.123674 miles
I4 to I5	0.117045 miles
I5 to I6	0.176136 miles
I6 to I7	0.102652 miles
I7 to I8	0.135417 miles
I8 to I9	0.278409 miles
I9 to I10	0.197159 miles
I10 to I11	0.177273 miles
I11 to SF	0.221212 miles
I1 to I2	0.196780 miles
Lap	1.964000 miles
PI to PO	0.260795 miles
PO to SF	1.921970 miles
SF to PI	1.742803 miles
PO to I2A	0.170076 miles
I10 to PI	0.177273 miles
PO to PI	1.681818 miles

Color Legend	
	Fastest Lap
	Section Under Caution
	Section Under Green
	Section Time Data
	Section Speed Data

